*British Journal of Dermatology* 2000: **143:** 1360–1381.

# Index

## Authors

ABECK, D. *see* GRIMM, V.
ABECK, D. *see* MÖHRENSCHLAGER, M.
ABECK, D. *see* SCHÄFER, T.
ABENI, D. *see* PICARDI, A.
ABENI, D.D. *see* MASINI, C.
ABERER, E. *see* SILBERER, M.
ACLAND, K.M. & BARLOW, R J. Lasers for the dermatologist, 244
AGARWAL, S. & CHARLES-HOLMES, S. Nasolabial follicular sebaceous casts: a novel complication of isotretinoin therapy, 228
AHMED, I. & BERTH-JONES, J. Imiquimod: a novel treatment for lentigo maligna, 843
AHMED, I., BERTH-JONES, J., CHARLES-HOLMES, S., O'CALLAGHAN, C.J. & ILCHYSHYN, A. Comparison of cryotherapy with curettage in the treatment of Bowen's disease: a prospective study, 759
AHMED, K. *see* BLACKWELL, V.
AHN, S-J., CHOI, J-H., SUNG, K-J., MOON, K-C. & KOH, J-K. Sweet's syndrome presenting with lesions resembling eruptive xanthoma, 449
AKDENIZ, S. *see* HARMAN, M.
AKDENIZ, S., HARMAN, M., YALDIZ, M., NAZAROGLU, H. & GÜR, A. Partial lipodystrophy with hemithoracic atrophy, 665
AKIBA, H. *see* OYAMA, N.
AKIN, H. *see* RATIP, S.
AKPOLAT, N. *see* DILEK, F.H.
AKRIVAKIS, K. *see* GENVRESSE, I.
AKSUNGUR, V.L. *see* KARAKAS, M.
ALAM, Y. *see* MEE, J.B.
ALBANESI, C. *see* GUERRIERO, C.
ALIAGA, A. *see* NAGORE, E.
ALMOND-ROESLER, B. & ZOUBOULIS, CH.C. Successful treatment of solar lentigines by brief gentle cryosurgery using a Kryomed® device, 216
ALSINA, M., CAMPO, P., TOLL, A., MARTINEZ, E., PALOU, J. & HERRERO, C. Papulonecrotic tuberculide in a human immunodeficiency virus type 1-seropositive patient, 232
ALTMEYER, P. *see* HOFFMAN, K.
AMAGAI, M. Towards a better understanding of pemphigus autoimmunity, 237
AMEEN, M., PEMBROKE, A.C., BLACK, M.M. & RUSSELL-JONES, R. Eosinophilic spongiosis in association with bullous pemphigoid and chronic lymphocytic leukaemia, 421
AMERIO, P. *see* GUERRIERO, C.
AMERIO, P., VERDOLINI, R., GIANGIACOMI, M., PROIETTO, G., FELICIANI, C., OFFIDANI, A. & BOSSI, G. Expression of eotaxin, interleukin 13 and tumour necrosis factor-α in dermatitis herpetiformis, 974
AMO, K. *see* KOSUGE, H.
AMO, Y., MASUZAWA, M., HAMADA, Y., TAKASU, H., FUJIMURA, T., KATSUOKA, K. & TAMAUCHI, H. Serum levels of vascular endothelial growth factor in a haemangiosarcoma patient with a newly typed *p53* gene point mutation, 1118
AMO, Y., YONEMOTO, K., OHKAWA, T., SASAKI, M., ISOBE, Y., SUGIMOTO, K. & KATSUOKA, K. CD56 and terminal deoxynucleotidyl transferase positive cutaneous lymphoblastic lymphoma, 666
ANDERSEN, K.E. *see* HANSEN, E.R.
ANDRE, J. *see* DANGOISSE, C.
ANDREASSI, A. *see* D'ANIELLO, C.
ANDREASSI, L. *see* MIRACCO, C.
ANKER, M. *see* CICHON, S.
ANSTEY, A.V. *see* PATEL, G.K.
ANSTEY, A.V. *see* VARMA, S.
ANTOINE, E.C. *see* SOUBRANE, C.
AQUERRETA, D. *see* BAUZÁ, A.
ARACTINGI, S. *see* BACHMEYER, C.
ARAGONESES FRAILE, H. *see* GONZALEZ RUÍZ, A.
ARAKI, K. *see* HORIKAWA, T.
ARBEILLE, B. *see* MARTIN, L.
ARCE, F. *see* NAN, D.N.
ARNAUD, B. *see* RAISON-PEYRON, N.
ARNDT, R. *see* STOCKFLETH, E.
ASANO, K. *see* ISHIDA-YAMAMOTO, A.
ATEN, J. *see* VAN DEN WIJNGAARD, R.M.J.G.J.
ATLAND, K. *see* CICHON, S.
ATSUMI, T. *see* SATO-MATSUMURA, K.C.
AU, W.Y., LIE, A.K.W. & SHEK, T.W. Fulminant molluscum contagiosum infection and concomitant leukaemia cutis after bone marrow transplantation for chronic myeloid leukaemia, 1097
AU, W.Y., NG, W.M., CHOY, C. & KWONG, Y.L. Aggressive subcutaneous panniculitis-like T-cell lymphoma: complete remission with fludarabine, mitoxantrone and dexamethasone, 408
AVRIL, M.F. *see* BOULOC, A.
AZURDIA, R.M., GRAHAM, R.M., WEISMANN, K., GUERIN, D.M. & PARSLEW, R. Acne keloidalis in caucasian patients on cyclosporin following organ transplantation, 465
AZURDIA, R.M., GUERIN, D.M. & SHARPE, G.R. Recurrent bullous dermatitis artefacta mimicking immunobullous disease, 229
BABA, M. *see* KARAKAS, M.
BABA, T. *see* WATABE, H.
BABIKIR, M.A.O. *see* BOYVAT, A.
BACHMEYER, C., CORDIER, F., BLUM, L., CAZIER, A., VÉROLA, O. & ARACTINGI, S. Multiple eruptive dermatofibromas after highly active antiretroviral therapy, 1336
BAGOT, M. *see* BÉNÉTON, N.



© 2000 British Association of Dermatologists

*British Journal of Dermatology* 2000: **143:** 1360–1381.

# Index

## Authors

ABECK, D. *see* GRIMM, V.
ABECK, D. *see* MÖHRENSCHLAGER, M.
ABECK, D. *see* SCHÄFER, T.
ABENI, D. *see* PICARDI, A.
ABENI, D.D. *see* MASINI, C.
ABERER, E. *see* SILBERER, M.
ACLAND, K.M. & BARLOW, R J. Lasers for the dermatologist, 244
AGARWAL, S. & CHARLES-HOLMES, S. Nasolabial follicular sebaceous casts: a novel complication of isotretinoin therapy, 228
AHMED, I. & BERTH-JONES, J. Imiquimod: a novel treatment for lentigo maligna, 843
AHMED, I., BERTH-JONES, J., CHARLES-HOLMES, S., O'CALLAGHAN, C.J. & ILCHYSHYN, A. Comparison of cryotherapy with curettage in the treatment of Bowen's disease: a prospective study, 759
AHMED, K. *see* BLACKWELL, V.
AHN, S-J., CHOI, J-H., SUNG, K-J., MOON, K-C. & KOH, J-K. Sweet's syndrome presenting with lesions resembling eruptive xanthoma, 449
AKDENIZ, S. *see* HARMAN, M.
AKDENIZ, S., HARMAN, M., YALDIZ, M., NAZAROGLU, H. & GÜR, A. Partial lipodystrophy with hemithoracic atrophy, 665
AKIBA, H. *see* OYAMA, N.
AKIN, H. *see* RATIP, S.
AKPOLAT, N. *see* DILEK, F.H.
AKRIVAKIS, K. *see* GENVRESSE, I.
AKSUNGUR, V.L. *see* KARAKAS, M.
ALAM, Y. *see* MEE, J.B.
ALBANESI, C. *see* GUERRIERO, C.
ALIAGA, A. *see* NAGORE, E.
ALMOND-ROESLER, B. & ZOUBOULIS, CH.C. Successful treatment of solar lentigines by brief gentle cryosurgery using a Kryomed® device, 216
ALSINA, M., CAMPO, P., TOLL, A., MARTINEZ, E., PALOU, J. & HERRERO, C. Papulonecrotic tuberculide in a human immunodeficiency virus type 1-seropositive patient, 232
ALTMEYER, P. *see* HOFFMAN, K.
AMAGAI, M. Towards a better understanding of pemphigus autoimmunity, 237
AMEEN, M., PEMBROKE, A.C., BLACK, M.M. & RUSSELL-JONES, R. Eosinophilic spongiosis in association with bullous pemphigoid and chronic lymphocytic leukaemia, 421
AMERIO, P. *see* GUERRIERO, C.
AMERIO, P., VERDOLINI, R., GIANGIACOMI, M., PROIETTO, G., FELICIANI, C., OFFIDANI, A. & BOSSI, G. Expression of eotaxin, interleukin 13 and tumour necrosis factor-α in dermatitis herpetiformis, 974
AMO, K. *see* KOSUGE, H.
AMO, Y., MASUZAWA, M., HAMADA, Y., TAKASU, H., FUJIMURA, T., KATSUOKA, K. & TAMAUCHI, H. Serum levels of vascular endothelial growth factor in a haemangiosarcoma patient with a newly typed *p53* gene point mutation, 1118
AMO, Y., YONEMOTO, K., OHKAWA, T., SASAKI, M., ISOBE, Y., SUGIMOTO, K. & KATSUOKA, K. CD56 and terminal deoxynucleotidyl transferase positive cutaneous lymphoblastic lymphoma, 666
ANDERSEN, K.E. *see* HANSEN, E.R.
ANDRE, J. *see* DANGOISSE, C.
ANDREASSI, A. *see* D'ANIELLO, C.
ANDREASSI, L. *see* MIRACCO, C.
ANKER, M. *see* CICHON, S.
ANSTEY, A.V. *see* PATEL, G.K.
ANSTEY, A.V. *see* VARMA, S.
ANTOINE, E.C. *see* SOUBRANE, C.
AQUERRETA, D. *see* BAUZÁ, A.
ARACTINGI, S. *see* BACHMEYER, C.
ARAGONESES FRAILE, H. *see* GONZALEZ RUÍZ, A.
ARAKI, K. *see* HORIKAWA, T.
ARBEILLE, B. *see* MARTIN, L.
ARCE, F. *see* NAN, D.N.
ARNAUD, B. *see* RAISON-PEYRON, N.
ARNDT, R. *see* STOCKFLETH, E.
ASANO, K. *see* ISHIDA-YAMAMOTO, A.
ATEN, J. *see* VAN DEN WIJNGAARD, R.M.J.G.J.
ATLAND, K. *see* CICHON, S.
ATSUMI, T. *see* SATO-MATSUMURA, K.C.
AU, W.Y., LIE, A.K.W. & SHEK, T.W. Fulminant molluscum contagiosum infection and concomitant leukaemia cutis after bone marrow transplantation for chronic myeloid leukaemia, 1097
AU, W.Y., NG, W.M., CHOY, C. & KWONG, Y.L. Aggressive subcutaneous panniculitis-like T-cell lymphoma: complete remission with fludarabine, mitoxantrone and dexamethasone, 408
AVRIL, M.F. *see* BOULOC, A.
AZURDIA, R.M., GRAHAM, R.M., WEISMANN, K., GUERIN, D.M. & PARSLEW, R. Acne keloidalis in caucasian patients on cyclosporin following organ transplantation, 465
AZURDIA, R.M., GUERIN, D.M. & SHARPE, G.R. Recurrent bullous dermatitis artefacta mimicking immunobullous disease, 229
BABA, M. *see* KARAKAS, M.
BABA, T. *see* WATABE, H.
BABIKIR, M.A.O. *see* BOYVAT, A.
BACHMEYER, C., CORDIER, F., BLUM, L., CAZIER, A., VÉROLA, O. & ARACTINGI, S. Multiple eruptive dermatofibromas after highly active antiretroviral therapy, 1336
BAGOT, M. *see* BÉNÉTON, N.



© 2000 British Association of Dermatologists

BAGOT, M. *see* BOULOC, A.
BALUS, L. *see* MUSCARDIN, L.M.
BAMBER, J.C. *see* HARLAND, C.C.
BAN, M. *see* SEISHIMA, M.
BANERJEE, P. *see* WALKER, S.L.
BAÑULS, J., RAMÓN, R., PASCUAL, E., NAVAS, J., BETLLOCH, I. & BOTELLA, R. *Mycobacterium chelonae* infection resistant to clarithromycin in a patient with dermatomyositis, 1345
BARAN, R. & PERRIN, C. Longtitudinal erythronychia with distal subungual keratosis: onychopapilloma of the nail bed, 132
BARAN, R. Lichen planus of the nails mimicking the yellow nail syndrome, 1117
BARKHORDARIAN, A.R., WAKELIN, S.H. & PAES, T.R.F. Accidental digital injection of adrenaline from an autoinjector device, 1359
BARLOW, R J. *see* ACLAND, K.M.
BARLOW, R.J. *see* GRATTAN, C.E.H.
BARLOW, R.J. *see* KURWA, H.A.
BARNEON, G. *see* RAISON-PEYRON, N.
BARNETSON, R.ST C. *see* SATCHELL, A.C.
BARNETSON, R.ST C. *see* WONG, D.A.
BARRAUD-KLENOVSEK, M.M. & TRÜEB, R.M. Congenital hypotrichosis due to short anagen, 612
BASTIAENS, M. *see* PLUSJÉ, L.G.J.M.
BATAILLE, V., BYKOV, V.J., SASIENI, P., HARULOW, S., CUZICK, J. & HEMMINKI, K. Photoadaptation to ultraviolet (UV) radiation *in vivo*: photoproducts in epidermal cells following UVB therapy for psoriasis, 477
BATTA, K. *see* NARAYAN, S.
BATTA, K., RUGG, E.L, WILSON, N.J., WEST, N., GOODYEAR, H., LANE, E.B., GRATIAN, M., DOPPING-HEPENSTAL, P., MOSS, C. & EADY, R.A.J. A keratin 14 'knockout' mutation in recessive epidermolysis bullosa simplex resulting in less severe disease, 621
BAUER, R. *see* WENZEL, J.
BAUZÁ, A., REDONDO, P. & AQUERRETA, D. Psoriatic onycho-pachydermo periostitis: treatment with methotrexate, 901
BAUZÁ, A., REDONDO, P. & FERNÁNDEZ, J. Asymmetric perifluxural exanthem in adults, 224
BAYIK, M. *see* RATIP, S.
BAYKAL, C., KAZANCIOGLU, R., BÜYÜKBABANI, N., ÇELIK, A.V., YEGENOGLU, Y., KAYACAN, S.M., SATANA, D. & SEVER, M.S. Simultaneous cutaneous and ungual alternariosis in a renal transplant recipient, 910
BAZÁN, A. *see* LASSO, J.M.
BAZEX, J. *see* LOCHE, F.
BECK, M.H. *see* LYON, C.C.
BEDANE, C. *see* BOULINGUEZ, S.
BEHAM, A. *see* MÖHRENSCHLAGER, M.
BEHRENDT, C. *see* HENGGE, U.R.
BEHRENDT, H. *see* SCHÄFER, T.
BEHRENS-WILLIAMS, S.C. *see* SCHIENER, R.
BEINERT, T. *see* GENVRESSE, I.
BELAICH, S. *see* MUSETTE, P.
BELLANEY, G.J. *see* PATEL, D.C.
BELLOCCI, M. *see* MUSCARDIN, L.M.
BENASSI, L. *see* DI NARDO, A.
BÉNÉTON, N., WOLKENSTEIN, P., BAGOT, M., COSNES, A., WECHSLER, J., ROUJEAU, J.C. & REVUZ, J. Amicrobial pustulosis associated with autoimmune diseases: healing with zinc supplementation, 1306
BENNETT, C.E., KEEFE, M. & REYNOLDS, J.C. Perceptions of the incidence of scabies and efficacy of treatment in U.K. hospitals, 1337
BENSON, E.M. *see* ONG, C.S.
BENTON, E.C. Treatment of warts with immune response modifiers, 922
BERMEJO-MARTÍNEZ, G.B. *see* JONES-CABALLERO, M.
BERNAL RUÍZ, A.I. *see* GONZALEZ RUÍZ, A.
BERNARD, P. *see* BOULINGUEZ, S.
BERNARDINI, M.L. *see* OFFIDANI, A.
BERTH-JONES, J. Circumlesional scaling induced by vitamin D: a guide to compliance, 206
BERTH-JONES, J. *see* AHMED, I.
BERTH-JONES, J. *see* AHMED, I.
BERTH-JONES, J., TODD, G., HUTCHINSON, P.E., THESTRUP-PEDERSEN, K. & VANHOUTTE, F.P. Treatment of psoriasis with oral liarozole: a dose-ranging study, 1170
BERTI, E. *see* BRAMBILLA, L.
BERTI, E. *see* MARZANO, A.V.
BESSHO, K. *see* KUROKAWA, I.
BETLLOCH, I. *see* BAÑULS, J.
BETTI, R. *see* VERGANI, R.
BEZEMER, P.D. *see* KUNKELE, L.
BHOGAL, B.S. *see* HARMAN, K.E.
BHUSHAN, M. & GRIFFITHS, C.E.M. 'Brooke of Manchester', 26
BHUSHAN, M. *see* KIMBER, I.
BIEBER, T. *see* OPPEL, T.
BIEBER, T. *see* WENZEL, J.
BIKKERS, S.C.E. *see* KUNKELE, L.
BILSLAND, D. *see* GUPTA, G.
BINDER, M. *see* KITTLER, H.
BÍRÓ, J. *see* KÁRPÁTI, SAROLTA
BISHOP, G.A. *see* WONG, D.A.
BISSONNETTE, R., SHAPIRO, J., ZENG, H., LUÍ, H. & MCCLEAN, D.I. Topical photodynamic therapy with 5-aminolaevulinic acid does not induce hair regrowth in patients with extensive alopecia areata, 1032
BLACK, M.M. *see* AMEEN, M.
BLACK, M.M. *see* HARMAN, K.E.
BLACK, M.M. *see* WALKER, S.L.
BLACKWELL, V., AHMED, K., O'DOCHERTY, C. & HAY, R.J. Cutaneous hyalohyphomycosis caused by *Paecilomyces lilacinus* in a renal transplant patient, 873
BLETRY, O. *see* MÉGARBANE, B.
BLOOMER, S.E. *see* LOANE, M.A.
BLUM, L. *see* BACHMEYER, C.
BLUME-PEYTAVI, U., ZIEM, P.E., PFROMMER, C., GOERDT, S. & ORFANOS, C.E. Melkersson–Rosenthal syndrome in childhood: a challenge in differential diagnosis and treatment, 860

BODEMER, C. *see* MÉGARBANE, B.
BOEHM, I. *see* WENZEL, J.
BOGLIATTO, F. *see* MICHELETTI, L.
BOHLEN, H. *see* EMING, R.
BÖHM, M., RIEMANN, B., LUGER, T.A. & BONSMANN, G. Bilateral upper limb lymphoedema associated with psoriatic arthritis: a case report and review of the literature, 1297
BONESCHI, V. *see* BRAMBILLA, L.
BONIFAZ, A. *see* SOTO-MENDOZA, N.
BONNETBLANC, J.M. *see* BOULINGUEZ, S.
BONSMANN, G. *see* BÖHM, M.
BORBERG, H. *see* PIONTEK, J-O.
BORCEA, A. & GREAVES, M.W. Methotrexate-induced exacerbation of urticarial vasculitis: an unusual adverse reaction, 203
BORGIA, F., VACCARO, M., GUARNERI, F. & CANNAVÒ, S.P. Photodistributed telangiectasia following use of cefotaxime, 674
BORNHÖVD, E., SAKRAUSKI, A.K., BRÜHL, H., WALLI, R., PLEWIG, G. & RÖCKEN, M. Multiple circumscribed subcutaneous lipomas associated with use of human immunodeficiency virus protease inhibitors?, 1113
BORRADORI, L. *see* CHRISTOPHORIDIS, S.
BOSI, B. *see* D'ANIELLO, C.
BOSSI, G. *see* AMERIO, P.
BOSSI, G. *see* OFFIDANI, A.
BOTELLA, R. *see* BAÑULS, J.
BOTTAU, P. *see* RICCI, G.
BOULINGUEZ, S., REIX, S., BEDANE, C., DEBROCK, C., BOUYSSOU-GAUTHIER, M.L., SPARSA, A., LE BRUN, V., DE VENCAY, P., BERNARD, P. & BONNETBLANC, J.M. Role of drug exposure in aphthous ulcers: a case–control study, 1261
BOULOC, A., GRANGE, F., DELFAU-LARUE, M.H., DIENG, M.T., TORTEL, M.C., AVRIL, M.F., REVUZ, J., BAGOT, M., WESCHLER, J. & THE FRENCH STUDY GROUP OF CUTANEOUS LYMPHOMA, J. Leucoderma associated with flares of erythrodermic cutaneous T-cell lymphomas: four cases, 832
BOUVET, E. *see* RACHLINE, A.
BOUYSSOU-GAUTHIER, M.L. *see* BOULINGUEZ, S.
BOYCE, D.E., JONES, W.D., RUGE, F., HARDING, K.G. & MOORE, K. The role of lymphocytes in human dermal wound healing, 59
BOYVAT, A., KUNDAKÇI, N., BABIKIR, M.A.O. & GÜRGEY, E. Livedoid vasculopathy associated with heterozygous protein C deficiency, 840
BRAMBILLA, L., BONESCHI, V., FERRUCCI, S., TAGLIONI, M. & BERTI, E. Human herpesvirus-8 infection among heterosexual partners of patients with classical Kaposi's sarcoma, 1021
BRANDI, C. *see* D'ANIELLO, C.
BRANDRUP, F. *see* BYGUM, A.
BRANFORD, W.A. Hutchinson and Nettleship, nettlerash and albinism, 16
BRAUN, R.P., FRENCH, L.E., FELDMANN, R., CHAVAZ, P. & SAURAT, J-H. Cutaneous pseudolymphoma, lymphomatoid contact dermatitis type, as an unusual cause of symmetrical upper eyelid nodules, 411
BREIT, S.N. *see* GILMOUR, T.K.
BRENNEISEN, P. *see* MEEWES, C.
BRIGGAMAN, R.A. *see* MORRELL, D.S.
BROCHEZ, L. & NAEYAERT, J-M. Serological markers for melanoma, 256
BRÖCKER, E-B. *see* ZILLIKINS, D.
BROCKHOFF, P.B. *see* GRØNHØJ LARSEN, F.
BROCKOW, K. *see* MÖHRENSCHLAGER, M.
BROWN, S.B. *see* HALLER, J.C.
BRÜHL, H. *see* BORNHÖVD, E.
BRUYNZEEL, D.P. *see* KUNKELE, L.
BUCHANAN, J. *see* THORNHILL, M.H.
BUCKLEY, C. *see* MURPHY, L-A.
BÜDINGER, L. *see* CHRISTOPHORIDIS, S.
BÜDINGER, L. *see* EMING, R.
BULFONE-PAUS, S. *see* RÜCKERT, R.
BULL, H.A. Nerve growth factor and its receptor system in psoriasis – reply from author, 200
BUNCE, M. *see* MALLON, E.
BUNKER, C.B. *see* MALLON, E.
BUNKER, C.B. *see* OSBORNE, G.E.N.
BUNKER, C.B. *see* OSBORNE, G.E.N.
BUNKER, C.B. *see* SIDWELL, R.U.
BURDEN, A.D. Identifying a gene for psoriasis on chromosome 6 (*Psors*1), 238
BURGE, S. *see* POWELL, J.
BUUS, S. *see* HANSEN, E.R.
BUXTON, P.K. *see* DE SILVA, B.D.
BÜYÜKBABANI, N. *see* BAYKAL, C.
BYGUM, A. & BRANDRUP, F. Iron overload in porphyria cutanea tarda, 1116
BYKOV, V.J. *see* BATAILLE, V.
BYUN, D.G. *see* PARK, Y.M.
CACCIAPUOTI, M. *see* PARODI, A.
CAINELLI, F., CONCIA, E. & VENTO, S. Cryptococcal meningitis during cyclosporin treatment in a patient with psoriasis, 1327
CAINELLI, T. *see* DI LANDRO, A.
CAINELLI, T. *see* NALDI, L.
CAIRNDUFF, F. *see* HALLER, J.C.
CALB, I.L., HAAS, E., LEWANDOWSKI, M.G. & MALER, L. Cutaneous bronchogenic cyst: an unusual localization and review of the literature, 1353
CALERO, G. *see* OLLAGUE, J.M.
CALONJE, E. *see* CHILD, F.J
CALONJE, E. *see* CHILD, F.J.
CALONJE, E. *see* WHITTAM, L.R.
CALVIERI, S. *see* VAN NESTE, D.
CAMBAZARDS, F. *see* ZOUBOULIS, CH.C.
CAMPO, P. *see* ALSINA, M.
CANNAVÒ, S.P. *see* BORGIA, F.
CANONNE, D., DUBOST-BRAMA, A., SEGARD, M., PIETTE, F. & DELAPORTE, E. Wells' syndrome associated with recurrent giardiasis, 425
CAPIZZI, R. *see* GUERRIERO, C.

CAPUANO, M. *see* MASINI, C.
CAPUTO, R. *see* MARZANO, A.V.
CARBONNEL, E. *see* KANITAKIS, J.
CARLI, P., DE GIORGI, V., MASSI, D. & GIANNOTTI, B. The role of pattern analysis and the ABCD rule of dermoscopy in the detection of histological atypia in melanocytic naevi, 290
CARTY, H. *see* GONZALEZ-MARTIN, J.
CASAS, A., FUKUDA, H., DI VENOSA, G. & DEL C.BATLLE, A.M. The influence of the vehicle on the synthesis of porphyrins after topical application of 5-aminolaevulinic acid. Implications in cutaneous photodynamic sensitization, 564
CATTANI, P. *see* MASINI, C.
CATTARUZZA, M.S. *see* MASINI, C.
CAZIER, A. *see* BACHMEYER, C.
ÇELIK, A.V. *see* BAYKAL, C.
CERIMELE, D. *see* MASINI, C.
CERIMELE, F. *see* MASINI, C.
ÇETIN, H. *see* HARMAN, M.
CEVENINI, R. *see* NERI, I.
CHALLACOMBE, S.J. *see* HARMAN, K.E.
CHAN, Y.H. *see* YOSIPOVITCH, G.
CHANG, A. *see* PLUSJÉ, L.G.J.M.
CHANG, S-E., CHOI, J-H., SUNG, K-J., MOON, K-C. & KOH, J-K. A case of cutaneous relapse of nasal CD56+ natural killer/T-cell lymphoma, 896
CHANG, Y.T. *see* WANG, W-J.
CHARLES-HOLMES, S. *see* AGARWAL, S.
CHARLES-HOLMES, S. *see* AHMED, I.
CHARUEL, J-L. *see* ROVEL-GUITERA, P.
CHAVAZ, P. *see* BRAUN, R.P.
CHEN, T.C. & HOLICK, M.F. Hexafluoro-1,25-dihydroxyvitamin $D_3$ has markedly increased potency in inhibiting proliferation of cultured human keratinocytes compared with 1,25-dihydroxyvitamin $D_3$, 72
CHENG, L., ZHANG, S.Z., XIAO, C.Y., HOU, Y.P., LI, L., LUO, H.C., JIANG, H.Y. & ZUO, W.Q. The A5.1 allele of the major histocompatibility complex class I chain-related gene A is associated with psoriasis vulgaris in Chinese, 324
CHILD, F.J. KIM, B.K., GANESAN, R., SOUTHERN, S.A., HERRINGTON, C.S. & CALONJE, E. Verrucous carcinoma arising in pseudoepitheliomatous keratotic and micaceous balanitis, without evidence of human papillomavirus, 183
CHILD, F.J. *see* SABROE, R.A.
CHILD, F.J., WOOLLONS, A., PRICE, M.L., CALONJE, E. & RUSSELL-JONES, R. Multiple cutaneous immunocytoma with secondary anetoderma: a report of two cases, 165
CHIMANOVITCH, I. *see* ZILLIKINS, D.
CHINN, R.J.S. *see* OSBORNE, G.E.N.
CHIU, H-C. *see* DAI, Y-S.
CHO, S.H. *see* YANG, J.E.
CHOI, G-S., WON, D-H., LEE, S-J., LEE, J-H. & KIM, Y-G. Divided naevus on the penis, 1126
CHOI, J-H. *see* AHN, S-J.
CHOI, J-H. *see* CHANG, S-E.
CHOI, J-H. *see* JANG, K.A.
CHOI, J-H. *see* JANG, K-A.
CHOSIDOW, O. *see* ROVEL-GUITERA, P.
CHOUVET, B. *see* KANITAKIS, J.
CHOWDHURY, M.M.U., HEDGES, R. & LANIGAN, S.W. Unilateral resolution of palmar eczema and hyperhidrosis complicated by Horner's syndrome following ipsilateral endoscopic cervical sympathectomy, 653
CHOY, C. *see* AU, W.Y.
CHRISTENSEN, O. *see* EMING, R.
CHRISTOPHERS, E. *see* STOCKFLETH, E.
CHRISTOPHORIDIS, S., BÜDINGER, L., BORRADORI, L., HUNZIKER, T., MERK, H.F. & HERTL, M. IgG, IgA and IgE autoantibodies against the ectodomain of BP180 in patients with bullous and cicatricial pemphigoid and linear IgA bullous dermatosis, 349
CHU, A. The confusing state of the histiocytoses, 475
CHUAN, M-T. *see* SUN, C-C.
CIBULA, D., HILL, M., VOHRADNIKOVA, O., KUZEL, D., FANTA, M. & ZIVNY, J. The role of androgens in determining acne severity in adult women, 399
CICHON, S., KRUSE, R., HILLMER, A.M., KUKUK, G., ANKER, M., ATLAND, K., KNAPP, M., PROPPING, P. & NÖTHEN, M.M. A distinct gene close to the hairless locus on chromosome 8p underlies hereditary Marie Unna type hypotrichosis in a German family, 811
CLARK, S.M. & LANIGAN, S.W. Acute necrotic skin reaction to intramuscular Depo-Provera®, 1356
CLAUDY, A. *see* KANITAKIS, J.
CLOT, J. *see* DEREURE, O.
COLLADO, C. *see* NAGORE, E.
COLLOBY, P. *see* NARAYAN, S.
CÖMERT, A. *see* GÜRSES, L.
CONCIA, E. *see* CAINELLI, F.
COOKE, B. *see* WONG, D.A.
COOPER, E.J. *see* MCKENNA, D.B.
COORS, E.A. & VON DEN DRIESCH, P. Pyoderma gangrenosum in a patient with autoimmune haemolytic anaemia and complement deficiency, 154
COORS, E.A. & VON DEN DRIESCH, P. Treatment of erythrodermic cutaneous T-cell lymphoma with intermittent chlorambucil and fluorcortolone therapy, 127
CORBETT, R. *see* LOANE, M.A.
CORDIER, F. *see* BACHMEYER, C.
COSNES, A. *see* BÉNÉTON, N.
COSSARIZZA, A. *see* DI NARDO, A.
COULSON, I.H. *see* YOUNG, H.S.
COX, N.H. Bowen's disease: where now with therapeutic trials?, 699
COZZANI, E. *see* PARODI, A.
CRANE, S. *see* YAMAGUCHI, Y.
CRESPO ERCHIGA, A. *see* CRESPO ERCHIGA, V.
CRESPO ERCHIGA, V., OJEDA MARTOS, A., VERA CASAÑO, A., CRESPO ERCHIGA, A. & SANCHEZ FAJARDO, F. *Malassezia globosa* as the causative agent of pityriasis versicolor, 799
CRICKX, B. *see* MUSETTE, P.
CROSTI, C. *see* VERGANI, R.

CUMBERBATCH, M. *see* KIMBER, I.
CURRIE, C.L A. & MONK, B.E. Can the response of port-wine stains to laser treatment be reliably assessed using subjective methods?, 360
CUZICK, J. *see* BATAILLE, V.
D'ANGELO, V. *see* RICCI, G.
D'ANIELLO, C., GRIMALDI, L., MESCHINO, N., BRANDI, C., ANDREASSI, A. & BOSI, B. Verrucous 'cuniculatum' carcinoma of the sacral region, 459
DAI, Y-S. & CHIU, H-C. Periorbital heliotrope oedema as the only initial clinical manifestation of sytemic lupus erythematosus in a primigravida, 679
DALZIEL, K.L. *see* SALIM, A.
DANGOISSE, C., ANDRE, J., DE DOBBELEER, G. & VAN GEERTRUYDEN, J. Solitary subungual neurofibroma, 1116
DAS, P.K. *see* VAN DEN WIJNGAARD, R.M.J.G.J.
DAUDÉN, E., MARTÍN, R., FEAL, C., MUÑOZ, E. & FRAGA, J. Eccrine ductal mucinosis in a human immunodeficiency virus-positive patient with probable scabies, 1335
DAVID, M. *see* KRICHELI, D.
DAVISON, S.C., MORRIS-JONES, R., POWLES, A.V. & FRY, L. Change of treatment from cyclosporin to mycophenolate mofetil in severe psoriasis, 405
DAWBER, R.P.R. *see* LOO, W.J.
DE ALAVA, E. *see* LASSO, J.M.
DE ALOE, G. *see* RUBEGNI, P.
DE DOBBELEER, G. *see* DANGOISSE, C.
DE DOBBELEER, G. *see* VADOUD-SEYEDI, J.
DE GIORGI, V. *see* CARLI, P.
DE HELLER-MILEV, M., HUBER, M., PANIZZON, R. & HOHL, D. Expression of small proline rich proteins in neoplastic and inflammatory skin diseases, 733
DE LA BRASSINNE, M. *see* VANHOOTEGHEM, O.
DE LUCA, N. *see* REED, J.R.
DE PANFILIS, G., MARCELLI, M., PASOLINI, G. & TORRESANI, C. CD95-ligand (Fas-L)-expressing epidermal lymphocytes, 892
DE SILVA, B.D. & BUXTON, P.K. *Pneumocystis carinii* pneumonia in a patient with pyoderma gangrenosum treated with cyclosporin, 683
DE SIMONE, C. *see* GUERRIERO, C.
DE SMET, D. *see* MERTENS, G.
DE VENCAY, P. *see* BOULINGUEZ, S.
DE VRIES, E. *see* ZOI-TOLI, O.
DE WAARD VAN DER SPEK, F.B. *see* WOLKERSTORFER, A.
DE ZURITA, A.M. *see* OLLAGUE, J.M.
DEARMAN, R.J. *see* KIMBER, I.
DEBROCK, C. *see* BOULINGUEZ, S.
DECROIX, J. *see* ZOUBOULIS, CH.C.
DEGRAEVE, F., QUERE, I., DEREURE, O., GRIS, J.-C., DIGNAT-GEORGES, F., DURAND, L. & JANBON, C. Cutaneous thrombotic and necrotizing microangiopathy revealing a large granular lymphocytic leukaemia, 445
DEICHMANN, M. *see* WALDMANN, V.
DEL C.BATLLE, A.M. *see* CASAS, A.
DELAPORTE, E. *see* CANONNE, D.
DELAUNAY, P. *see* ROUX, O.
DELEURAN, M. *see* HANSEN, E.R.
DELFAU-LARUE, M.H. *see* BOULOC, A.
DEREURE, O. & GUILHOU, J-J. Multifocal hepatocellular carcinoma presenting as prurigo: two cases, 1331
DEREURE, O. *see* DEGRAEVE, F.
DEREURE, O., PORTALES, P., CLOT, J. & GUILHOU, J-J. Decreased expression of Fas (APO-1/CD95) on peripheral blood CD4+ T lymphocytes in cutaneous T-cell lymphomas, 1205
DEREURE, O., SAVOY, D., DOZ, F., JUNIEN, C. & GUILHOU, J-J. Multiple acral fibromas in a patient with familial retinoblastoma: a cutaneous marker of tumour-suppressor gene germline mutation?, 856
DERRICK, E.K., RIDLEY, C.M., KOBZA-BLACK, A., MCKEE, P.H. & NEILL, S.M. A clinical study of 23 cases of female anogenital carcinoma, 1217
DERUMEAUX, L. *see* ZOUBOULIS, CH.C.
DÉSAKNAI, M. *see* KÁRPÁTI, SAROLTA
DÉSAKNAI, S. *see* KÁRPÁTI, SAROLTA
DESCAMPS, V. *see* MUSETTE, P.
DESCAMPS, V. *see* RACHLINE, A.
DESRUELLES, F. *see* ROUX, O.
DI LANDRO, A., MARCHESI, L., RESEGHETTI, A. & CAINELLI, T. Warty linear streaks of the palm and sole: possible late manifestations of incontinentia pigmenti, 1102
DI NARDO, A., BENASSI, L., MAGNONI, C., COSSARIZZA, A., SEIDENARI, S. & GIANNETTI, A. Ceramide 2 (*N*-acetyl sphingosine) is associated with reduction in Bcl-2 protein levels by Western blotting and with apoptosis in cultured human keratinocytes, 491
DI VENOSA, G. *see* CASAS, A.
DIEMERT, M-C. *see* ROVEL-GUITERA, P.
DIENG, M.T. *see* BOULOC, A.
DIFFEY, B.L. *see* TURNER, R.J.
DIGNAT-GEORGES, F. *see* DEGRAEVE, F.
DILEK, F.H., AKPOLAT, N., METIN, A. & UGRAS, S. Atypical fibroxanthoma of the skin and the lower lip in xeroderma pigmentosum, 618
DISSEMOND, J. *see* MEEWES, C.
DIXON, S. *see* GONZALEZ-MARTIN, J.
DOE, P.T. *see* SIDWELL, R.U.
DOHERTY, V.R. *see* MCKENNA, D.B.
DOPPING-HEPENSTAL, P. *see* BATTA, K.
DORTA, S., SÁNCHEZ, R., GARCÍA-BUSTÍNDUY, M., GUIMERÁ, F., SÁEZ, M., NODA, A., MARTÍN-HERRERA, A. & GARCÍA-MONTELONGO, R. Multiple granular cell tumour in a teenager, 906
DOUWES, K.E., LANDTHALER, M. & SZEIMIES, R-M. Simultaneous occurence of folliculitis decalvens capillitii in identical twins, 195
DOZ, F. *see* DEREURE, O.
DRANCOURT, M. *see* WINNEFELD, M.
DUAN, H., KOGA, T., MASUDA, T., MASHINO, T., IMAFUKU, S., TERAO, H., MURAKAMI, Y., URABE, K., KIRYU, H. & FURUE, M. CD1a+, CD3+, CD4+, CD8+, CD68+ and cutaneous lymphocyte-associated antigen-positive cells in Bowen's disease, 1211

DUBOST-BRAMA, A. *see* CANONNE, D.
DURAND, L. *see* DEGRAEVE, F.
DURAND, L. *see* RAISON-PEYRON, N.
DURIEU, C. *see* LOCHE, F.
DUVAL, P.A. *see* RAISON-PEYRON, N.
DYKES, P.J. *see* HARLOW, D.
EADY, R.A.J. *see* BATTA, K.
EARDLEY, I. *see* WILSON, J.R.
EBIHARA, T. *see* KOSUGE, H.
EEDY, D.J. *see* LOANE, M.A.
EGAWA, K., KITASATO, H. & ONO, T. A palmar epidermoid cyst, showing histological features suggestive of eccrine duct origin, developing after a bee-sting, 469
EGAWA, K., KUROKI, M., INOUE, Y. & ONO, T. Nail bed keratinocytes express an antigen of the carcinoembryonic antigen family, 79
EISER, J.R. *see* MELIA, J.
EKENEL, M. *see* RATIP, S.
EL-HASSAN, A.M. *see* ZILJSTRA, E.E.
ELSNER, P. *see* WIGGER-ALBERTI, W.
EMERSON, R.M. *see* SALIM, A.
EMING, R., BÜDINGER, L., RIECHERS, R., CHRISTENSEN, O., BOHLEN, H., KALISH, R. & HERTL, M. Frequency analysis of autoreactive T-helper 1 and 2 cells in bullous pemphigoid and pemphigus vulgaris by enzyme-linked immunospot assay, 1279
ENDO, H. *see* KAKINUMA, Y.
ENGMAN, C. *see* MOLIN, L.
ERGUN, T. *see* GÜRSES, L.
ERNST, E. Adverse effects of herbal drugs in dermatology, 923
ESPAÑA, A. *see* LASSO, J.M.
ESSER, S. *see* HENGGE, U.R.
FABRIZI, G. *see* MASSI, G.
FACCHETTI, M. *see* MARZANO, A.V.
FADDA, G. *see* MASINI, C.
FALANGA, V. *see* YAMAGUCHI, Y.
FANTA, M. *see* CIBULA, D.
FARBER, E.M. *see* RAYCHAUDHURI, S.P.
FARINA, C. *see* NALDI, L.
FARIÑAS, M.C. *see* NAN, D.N.
FARR, P.M. *see* TURNER, R.J.
FARRELL, A.M., MARREN, P.M. & WOJNAROWSKA, F. Genital lichen sclerosus associated with morphoea or systemic sclerosis: clinical and HLA characteristics, 598
FEAL, C. *see* DAUDÉN, E.
FELDMANN, R. *see* BRAUN, R.P.
FELICIANI, C. *see* AMERIO, P.
FERGUSON, J. A controlled study of ultraviolet A sunbed treatment of psoriasis, 919
FERNÁNDEZ, J. *see* BAUZÁ, A.
FERNÁNDEZ-AYALA, M. *see* NAN, D.N.
FERRUCCI, S. *see* BRAMBILLA, L.
FESQ, H. *see* MÖHRENSCHLAGER, M.
FIMIANI, M. *see* RUBEGNI, P.
FINCH, T.M. & RYATT, K.S. Livedo reticularis caused by cholesterol embolization may improve with simvastatin, 1319
FINCH, T.M. *see* WOO,P-N.
FINE, J-D. *see* MORRELL, D.S.
FINLAY, A.Y. *see* HARLOW, D.
FLATH, B. *see* GENVRESSE, I.
FLORI, M.L. *see* MIRACCO, C.
FOULDS, I.S. *see* WOO,P-N.
FRAGA, J. *see* DAUDÉN, E.
FRAITAG, S. *see* MÉGARBANE, B.
FRANCÈS, C. *see* ROVEL-GUITERA, P.
FRANCIS, D.M. *see* GRATTAN, C.E.H.
FRANCIS, N. *see* SIDWELL, R.U.
FRANCIS, N.D. *see* OSBORNE, G.E.N.
FRANCIS, N.D. *see* OSBORNE, G.E.N.
FRASER-ANDREWS, E.A. *see* WHITTAM, L.R.
FRENCH, L.E. *see* BRAUN, R.P.
FROSSARD, P.M. *see* SAARINEN, K.A.
FRUSIC-ZLOTKIN, M. *see* KRICHELI, D.
FRY, L. *see* DAVISON, S.C.
FRYER, A. *see* GONZALEZ-MARTIN, J.
FUH, V. *see* VAN NESTE, D.
FUJIMOTO, K. *see* SATO-MATSUMURA, K.C.
FUJIMURA, T. *see* AMO, Y.
FUJIOKA, A. *see* TANAKA, N.
FUJISAWA, Y. *see* ICHIKAWA, E.
FUKAI, K. *see* HORIKAWA, T.
FUKUDA, H. *see* CASAS, A.
FULLER, C. *see* HIGGINS, E.
FURUE, M. *see* DUAN, H.
FURUE, M. *see* ITAKURA, E.
FURUE, M. *see* MURAKAMI, Y.
FURUE, M. *see* WAKUGAWA, M.
FUTOEDA, T. *see* KAKINUMA, Y.
GÄBEL, H. *see* LINDELHÖF, B.
GALARIA, N.A. *see* MONTEIRO, M.R.
GALERA-DAVIDSON, H. *see* RÍOS-MARTÍN, J.J.
GALOFRÉ, J.C. *see* REDONDO, P.
GAMBICHLER, T. *see* HOFFMAN, K.
GANESAN, R. *see* CHILD, F.J
GARBE, C. *see* KUCHELMEISTER, C.
GARBE, C. *see* WEIDE, B.
GARCÍA MUÑOZ, M. *see* GONZALEZ RUÍZ, A.
GARCÍA-BUSTÍNDUY, M. *see* DORTA, S.
GARCÍA-MONTELONGO, R. *see* DORTA, S.
GARCÍA-PALOMO, D. *see* NAN, D.N.
GENVRESSE, I., FLATH, B., AKRIVAKIS, K., BEINERT, T., SPÄTH-SCHWALBE, E. & POSSINGER, K. Resolution of psoriatic skin lesions after chemotherapy with gemcitabine and vinorelbine, 1326
GEORGE, S. *see* STONE, N.
GEORGE, S.A. *see* GRAMVUSSAKIS, S.
GERMAIN, M., SMITH, K.J. & SKELTON, H. The cutaneous cellular infiltrate to stingray envenomization contains increased TIA+ cells, 1074
GEUSAU, A., JURECKA, W., NAHAVANDI, H., SCHMIDT, J.B., STINGL, G. & TSCHACHLER, E. Punctate keratoderma-like lesions on the palms and soles in a patient with chloracne: a new clinical manifestation of dioxin intoxication?, 1069

GHIRINGHELLO, B. *see* MICHELETTI, L.
GIAM, Y-C. *see* TAN, E.
GIANGIACOMI, M. *see* AMERIO, P.
GIANGIACOMI, M. *see* OFFIDANI, A.
GIANNETTI, A. *see* DI NARDO, A.
GIANNOTTI, B. *see* CARLI, P.
GIBSON, J. & WRAY, D. Human leucocyte antigen typing in orofacial granulomatosis, 1119
GIELIS, M. *see* MERTENS, G.
GILBERT, D. *see* MUSETTE, P.
GIL-DELGADO, M. *see* SOUBRANE, C.
GILMOUR, T.K., WILKINSON, B., BREIT, S.N. & KOSSARD, S. Analysis of dendritic cell populations using a revised histological staging of morphoea, 1183
GIROLOMONI, G. *see* GUERRIERO, C.
GLANDER, H-J. *see* NENOFF, P.
GLEICHMANN, E. *see* RÖNNAU, A.C.
GLÖCKNER, A. *see* MÖHRENSCHLAGER, M.
GLOVER, S. *see* GONZALEZ-MARTIN, J.
GOERDT, S. *see* BLUME-PEYTAVI, U.
GOH, C.L. *see* YOSIPOVITCH, G.
GOLDSCHMIDT, H. *see* WALDMANN, V.
GOLDSMITH, D. *see* KRICHELI, D.
GONZALEZ RUÍZ, A., BERNAL RUÍZ, A.I., ARAGONESES FRAILE, H., PERAL MARTINEZ, I. & GARCÍA MUÑOZ, M. Progressive nodular histiocytosis accompanied by systemic disorders, 628
GONZÁLEZ-BEATO, M.J., MOYANO, B., SÁNCHEZ, C., GONZÁLEZ-BEATO, M.T., PÉREZ-MOLINA, J.A., MIRALLES, P. & LÁZARO, P. Kaposi's sarcoma-like lesions and other nodules as cutaneous involvement in AIDS-related visceral leishmaniasis, 1316
GONZÁLEZ-BEATO, M.T. *see* GONZÁLEZ-BEATO, M.J.
GONZÁLEZ-CÁMPORA, R. *see* RÍOS-MARTÍN, J.J.
GONZALEZ-MARTIN, J., GLOVER, S., DIXON, S., FRYER, A., CARTY, H., SMITH, C., KAYE, S.B. & VERBOV, J. Neurofibromatosis type 1 and McCune–Albright syndrome occurring in the same patient, 1288
GOODWIN, P.G. *see* PALMER, R.A.
GOODYEAR, H. *see* BATTA, K.
GOON, A. *see* YOSIPOVITCH, G.
GOOS, M. *see* HENGGE, U.R.
GOOS, M. *see* HILLEN, U.
GOTCH, F. *see* MALLON, E.
GOTTI, E. *see* NALDI, L.
GOYAL, S., HUHN, K.M. & PROVOST, T.T. Calciphylaxis in a patient without renal failure or elevated parathyroid hormone: possible aetiological role of chemotherapy, 1087
GRABBE, J., HAAS, N., MÖLLER, A. & HENZ, B.M. Erythema elevatum diutinum – evidence for disease-dependent leukocyte alterations and response to dapsone, 415
GRAHAM, R.M. *see* AZURDIA, R.M.
GRAMVUSSAKIS, S. & GEORGE, S.A. Chronic actinic dermatitis (photosensitivity dermatitis/actinic reticuloid syndrome): beneficial effect from hydroxyurea, 1340
GRANGE, F. *see* BOULOC, A.
GRATIAN, M. *see* BATTA, K.
GRATIAN, M.J. *see* HARMAN, K.E.
GRATTAN, C.E.H., O'DONNELL, B.F., FRANCIS, D.M., NIIMI, N., BARLOW, R.J., SEED, P.T., KOBZA BLACK, A. & GREAVES, M.W. Randomized double-blind study of cyclosporin in chronic 'idiopathic' urticaria, 365
GRAU, J.M. & PEREA, M. Dermatomyositis with the features of inclusion body myositis associated with carcinoma of the bladder: a true association?, 671
GREAVES, M.W. *see* BORCEA, A.
GREAVES, M.W. *see* GRATTAN, C.E.H.
GREAVES, M.W. The immunopharmacology of skin inflammation: the future begins now!, 47
GREWE, M. *see* RÖNNAU, A.C.
GRIFFITHS, C.E.M. *see* BHUSHAN, M.
GRIFFITHS, C.E.M. *see* KIMBER, I.
GRIFFITHS, C.E.M. *see* LYON, C.C.
GRIMALDI, L. *see* D'ANIELLO, C.
GRIMM, V., MEMPEL, M., RING, J. & ABECK, D. Congenital symptomatic dermographism as the first symptom of mastocytosis, 1109
GRIS, J.-C. *see* DEGRAEVE, F.
GROB, J.J. *see* WINNEFELD, M.
GRØNHØJ LARSEN, F., STEINKJER, B., JAKOBSEN, P., HJORTER, A., BROCKHOFF, P.B. & NIELSEN-KUDSK, F. Acitretin is converted to etretinate only during concomitant alcohol intake, 1164
GROSSIN, M. *see* RACHLINE, A.
GROVES, R.W. *see* MEE, J.B.
GUARNERI, F. *see* BORGIA, F.
GUARRERA, M. *see* VAN NESTE, D.
GUERIN, D.M. *see* AZURDIA, R.M.
GUERIN, D.M. *see* AZURDIA, R.M.
GUERRIERO, C., ALBANESI, C., GIROLOMONI, G., DE SIMONE, C., CAPIZZI, R., AMERIO, P. & TULLI, A. Huriez syndrome: case report with a detailed analysis of skin dendritic cells, 1091
GUERRINI, V. *see* NERI, I.
GUILHOU, J-J. *see* DEREURE, O.
GUILHOU, J-J. *see* DEREURE, O.
GUILHOU, J-J. *see* DEREURE, O.
GUILLEN, C. *see* MARTIN, L.
GUIMERÁ, F. *see* DORTA, S.
GÜNTHER, S. *see* OPPEL, T.
GUPTA, G. & BILSLAND, D. A prospective study of the impact of laser treatment on vascular lesions, 356
GUPTA, G. & MUNRO, C.S. Angiolymphoid hyperplasia with eosinophilia: successful treatment with pulsed dye laser using the double pulse technique, 214
GÜR, A. *see* AKDENIZ, S.
GÜRBÜZ, O. *see* GÜRSES, L.
GÜRGEY, E. *see* BOYVAT, A.
GÜRSES, L., YÜCELTEN, D., CÖMERT, A., ERGUN, T. & GÜRBÜZ, O. Wegener's granulomatosis presenting as neutrophilic dermatosis: a case report, 207
HAAS, E. *see* CALB, I.L.
HAAS, N. *see* GRABBE, J.
HAAS, N. *see* PELZER, K.

HABERSTOK, J. *see* OPPEL, T.
HAFTEK, M. *see* MARTIN, L.
HALL, R.P. *see* ROH, J.Y.
HALLER, J.C., CAIRNDUFF, F., SLACK, G., SCHOFIELD, J., WHITEHURST, C., TUNSTALL, R., BROWN, S.B. & ROBERTS, D.J.H. Routine double treatments of superficial basal cell carcinomas using aminolaevulinic acid-based photodynamic therapy, 1270
HALLIDAY, G.M. *see* WONG, D.A.
HAMADA, Y. *see* AMO, Y.
HAMASAKI, Y. *see* SHINOHARA, M.
HAMEL, C. *see* RAISON-PEYRON, N.
HAMM, H. *see* KINKELIN, I.
HAN, M-H. *see* JANG, K.A.
HANSEN, E.R., BUUS, S., DELEURAN, M. & ANDERSEN, K.E. Treatment of atopic dermatitis with mycophenolate mofetil, 1324
HARADA, R. *see* KOSUGE, H.
HARADA, T. *see* HASEGAWA, M.
HARDING, K.G. *see* BOYCE, D.E.
HARDING, K.G. *see* PATEL, G.K.
HARDMAN, C. *see* MORRIS-JONES, R.
HARDWICK, N. *see* STONE, N.
HARKER, J. *see* HENG, M.C.Y.
HARLAND, C. *see* MELIA, J.
HARLAND, C.C. *see* WALKER, S.L.
HARLAND, C.C. *see* WALKER, S.L.
HARLAND, C.C., KALE, S.G., JACKSON, P., MORTIMER, P.S. & BAMBER, J.C. Differentiation of common benign pigmented skin lesions from melanoma by high-resolution ultrasound, 281
HARLOW, D., POYNER, T., FINLAY, A.Y. & DYKES, P.J. Impaired quality of life of adults with skin disease in primary care, 979
HARMAN, K.E., GRATIAN, M.J., BHOGAL, B.S., CHALLACOMBE, S.J. & BLACK, M.M. A study of desmoglein 1 autoantibodies in pemphigus vulgaris: racial differences in frequency and the association with a more severe phenotype, 343
HARMAN, M. *see* AKDENIZ, S.
HARMAN, M., AKDENIZ, S., ÇETIN, H. & TUZCU, A. Acanthosis nigricans with vitiligo and insulin resistance, 899
HARPER, J.I. *see* YATES, R.
HARTSCHUH, W. *see* WALDMANN, V.
HARULOW, S. *see* BATAILLE, V.
HASEGAWA, M., HARADA, T., KOJIMA, Y., NAKAMURA, A., YAMADA, Y., KADOSAKA, T., SHINONAGA, S. & NUMATA, T. An imported case of furuncular myiasis due to *Cordylobia anthropophaga* which emerged in Japan, 912
HASHIMOTO, M. *see* ISHIDA-YAMAMOTO, A.
HASHIMOTO, T. *see* YASUDA, H.
HASHIMOTO, T. *see* ZILLIKINS, D.
HASHIMOTO, Y. *see* ISHIDA-YAMAMOTO, A.
HATOKO, M. *see* TANAKA, A.
HATTORI, N. *see* WAKUGAWA, M.
HAUSTEIN, U-F. *see* NENOFF, P.
HAWK, J.L.M. *see* PATEL, D.C.
HAWORTH, A. *see* VARMA, S.
HAY, R.J. *see* BLACKWELL, V.
HAYASHI, H. *see* SATO-MATSUMURA, K.C.
HE, W. *see* VAN NESTE, D.
HEDGES, R. *see* CHOWDHURY, M.M.U.
HEGENBART, U. *see* WALDMANN, V.
HEIDELBERGER, A. *see* MÖHRENSCHLAGER, M.
HELLSTERN, M.O. *see* HEROUY, Y.
HEMMINKI, K. *see* BATAILLE, V.
HENG, M.C.Y., SONG, M.K., HARKER, J. & HENG, M.K. Drug-induced suppression of phosphorylase kinase activity correlates with resolution of psoriasis as assessed by clinical, histological and I immunohistochemical parameters, 937
HENG, M.K. *see* HENG, M.C.Y.
HENGGE, U.R., ESSER, S., SCHULTEWOLTER, T., BEHRENDT, C., MEYER, T., STOCKFLETH, E. & GOOS, M. Self-administered topical 5% imiquimod for the treatment of common warts and molluscum contagiosum, 1026
HENZ, B.M. Efficacy of borage oil in patients with atopic eczema – reply from author, 201
HENZ, B.M. *see* GRABBE, J.
HERMANS, P. *see* SIMONART, T.
HERMINE, O. *see* MÉGARBANE, B.
HEROUY, Y., TREFZER, D., HELLSTERN, M.O., STARK, G.B., VANSCHEIDT, W., SCHÖPF, E. & NORGAUER, J. Plasminogen activation in venous leg ulcers, 930
HERRERO, C. *see* ALSINA, M.
HERRINGTON, C.S. *see* CHILD, F.J
HERTL, M. *see* CHRISTOPHORIDIS, S.
HERTL, M. *see* EMING, R.
HICKS, N. *see* LOANE, M.A.
HIGGINS, E., FULLER, C. & SMITH, C. Guidelines for management of tinea capitis, 53
HIGHET, A.S. *see* THOMSON, K.F.
HILL, M. *see* CIBULA, D.
HILLEN, U., WILLERS, C. & GOOS, M. Melanoma erysipeloides: successful treatment by chemoimmunotherapy, 904
HILLMER, A.M. *see* CICHON, S.
HINDSON, C. *see* WOO,P-N.
HINO, H. *see* WAKUGAWA, M.
HIRAI, K. *see* WAKUGAWA, M.
HIROSE, S. *see* TANAKA, N.
HJORTER, A. *see* GRØNHØJ LARSEN, F.
HO, A. *see* WALDMANN, V.
HOFFMAN, K., KASPER, K., GAMBICHLER, T. & ALTMEYER, P. Change in ultraviolet (UV) transmission following the application of vaseline to nonirradiated and UVB-exposed split skin, 532
HOGENDOORN, P.C.W. *see* PLUSJÉ, L.G.J.M.
HOHENLEUTNER, U. *see* MICHEL, S.
HOHL, D. *see* DE HELLER-MILEV, M.
HOHL, D. Towards a better classification of erythrokeratodermias, 1133
HOLICK, M.F. *see* CHEN, T.C.

HOLME, S.A., MALINOVSZKY, K. & ROBERTS, D.L. Changing trends in nonmelanoma skin cancer in South Wales, 1988–98, 1224
HOLMES, S.A. & ROBERTS, D.L. Erythroderma associated with St. John's wort, 1127
HOMAN, S. *see* KARAKAS, M.
HONDA, M. *see* ISHIJI, T.
HÖNIGSMANN, H. *see* PIRKHAMMER, D.
HORI, K. *see* MIYAGAWA, S.
HORIKAWA, T., ARAKI, K., FUKAI, K., UEDA, M., UEDA, T., ITO, S. & ICHIHASHI, M. Heterozygous HPS1 mutations in a case of Hermansky–Pudlak syndrome with giant melansomes, 635
HORVÁTH, A. *see* KÁRPÁTI, SAROLTA
HOTTA, T. *see* TERAKI, Y.
HOU, Y.P. *see* CHENG, L.
HOUH, D. *see* PARK, Y.M.
HOVNANIAN, A. *see* POWELL, J.
HOZUMI, Y. *see* SUGIKI, H.
HUANG, C-Y. *see* WANG, W-J.
HUBER, M. *see* DE HELLER-MILEV, M.
HUHN, K.M. *see* GOYAL, S.
HULL, P.R. & SAXENA, A. Mycosis fungoides and chronic lymphocytic leukaemia – composite T-cell and B-cell lymphomas presenting in the skin, 439
HUND, M. *see* KINKELIN, I.
HUNTER, J.A.A. *see* MCKENNA, D.B.
HUNTER, J.A.A. Turning points in dermatology during the 20th century, 30
HUNZELMANN, N. *see* PIONTEK, J-O.
HUNZIKER, T. *see* CHRISTOPHORIDIS, S.
HUTCHINSON, P.E. *see* BERTH-JONES, J.
ICHIHASHI, M. *see* HORIKAWA, T.
ICHIHASHI, M. *see* SHIMIZU, H.
ICHIKAWA, E., FUJISAWA, Y., TATEISHI, Y., IMAKADO, S. & OTSUKA, F. Eccrine syringofibroadenoma in a patient with a burn scar ulcer, 591
IDA, K. *see* KAWAURA, K.
IDOATE, M. *see* REDONDO, P.
IHN, H. *see* KUBO, M.
IIZUKA, H. *see* ISHIDA-YAMAMOTO, A.
ILCHYSHYN, A. *see* AHMED, I.
IM, S. *see* KANG, H.Y.
IMAFUKU, S. *see* DUAN, H.
IMAKADO, S. *see* ICHIKAWA, E.
INOUE, S. *see* TANNO, O.
INOUE, Y. *see* EGAWA, K.
IRIE, K. *see* MURAKAMI, Y.
ISHIBASHI, A. *see* TANAKA, N.
ISHIDA-YAMAMOTO, A., KELSELL, D., COMMON, J., HOUSEMAN, M.J., HASHIMOTO, M., SHIBAKI, H., ASANO, K., TAKAHASHI, H., HASHIMOTO, Y., SENSHU, T., LEIGH, I.M. & IIZUKA, H. A case of erythrokeratoderma variabilis without mutations in connexin 31, 1283
ISHII, M. *see* KONO, T.
ISHII, M. *see* KONO, T.
ISHIJI, T., KAWASE, M., HONDA, M., NIIMURA, M., YOSHIMURA, E., SATA, T. & MATSUKURA, T. Distinctive distribution of human papillomavirus type 16 and type 20 DNA in the tonsillar and the skin carcinomas of a patient with epidermodysplasia verruciformis, 1005
ISHIKO, A. *see* ZILLIKINS, D.
ISLAM, T.C., SKARIN, T., SUMITRAN, S. & TOFTGÅRD, R. Retinoids induce apoptosis in cultured keratinocytes, 709
ISOBE, Y. *see* AMO, Y.
ITAKURA, E., URABE, K., YASUMOTO, S., NAKAYAMA, J. & FURUE, M. Cholinergic urticaria associated with acquired generalized hypohidrosis: report of a case and review of the literature, 1064
ITO, S. *see* HORIKAWA, T.
ITOH, K. *see* YASUDA, H.
ITOH, T. *see* SATO-MATSUMURA, K.C.
ITSCHERT, G. *see* NEUBER, K.
IWASAWA, A. *see* YONETA, A.
IWATSUKI, K. *see* OYAMA, N.
IZUMI, T. *see* SEISHIMA, M.
JÄCKEL, A. *see* WALDMANN, V.
JACKSON, P. *see* HARLAND, C.C.
JAKOBSEN, P. *see* GRØNHØJ LARSEN, F.
JAMES, M. *see* POWELL, J.
JAMES, W.H. The sex ratio of children born to women with dermatoses of pregnancy, 1345
JANBON, C. *see* DEGRAEVE, F.
JANG, K.A., HAN, M-H., CHOI, J-H., SUNG, K-J., MOON, K-C. & KOH, J-K. Recurrent self-healing cutaneous mucinosis in an adult, 650
JANG, K-A., LIM, Y-S., CHOI, J-H., SUNG, K-J., MOON, K-C. & KOH, J-K. Hypereosinophilic syndrome presenting as cutaneous necrotizing eosinophilic vasculitis and Raynaud's phenomenon complicated by digital gangrene, 641
JESSBERGER, B. *see* MÖHRENSCHLAGER, M.
JIANG, H.Y. *see* CHENG, L.
JIANG, W-Y. *see* RAYCHAUDHURI, S.P.
JIMBOW, K. *see* YONETA, A.
JIN, H-Y. *see* YONETA, A.
JOLY, P. *see* MUSETTE, P.
JONES, R.R. *see* SABROE, R.A.
JONES, W.D. *see* BOYCE, D.E.
JONES-CABALLERO, M., PÉRÉZ-SANTOS, S.P., BERMEJO-MARTÍNEZ, G.B., LECUNA-ECHEVERRÍA, M.L. & LAZARO-OCHAÍTA, P.L. Wells' syndrome and human immunodeficiency virus infection, 672
JONKMAN, M.F. *see* ZILLIKINS, D.
JOO, H-J. *see* KIM, Y-G.
JUNG, S-Y. *see* SONG, M-G.
JUNIEN, C. *see* DEREURE, O.
JURECKA, W. *see* GEUSAU, A.
JURY, C.S., MCALLISTER, E.J. & MACKIE, R.M. Rising levels of serum S100 protein precede other evidence of disease progression in patients with malignant melanoma, 269
KADOSAKA, T. *see* HASEGAWA, M.
KAGER, P.A. *see* ZILJSTRA, E.E.

KAKINUMA, Y., ENDO, H., TSUKAHARA, T., FUTOEDA, T., SAITO, Y. & SHINKAI, H. Collagenoma with pseudohypoparathyroidism, 1122
KALE, S.G. *see* HARLAND, C.C.
KALISH, R. *see* EMING, R.
KAMEYOSHI, Y. *see* MORITA, E.
KANEKO, F. *see* OYAMA, N.
KANG, H. *see* PARK, Y.M.
KANG, H. *see* YANG, J.E.
KANG, H.Y., SONG, J. & IM, S. Verruca vulgaris following treatment of vitiligo with epidermal grafting, 645
KANITAKIS, J., CARBONNEL, E., CHOUVET, B., LABEILLE, B. & CLAUDY, A. Cutaneous leiomyomas (piloleiomyomas) in adult patients with human immunodeficiency virus infection, 1338
KANOH, H. *see* SEISHIMA, M.
KANOJIA, P. *see* VAN NESTE, D.
KAPOOR, R. & KLIMASZEWSKI, A. Efficacy of borage oil in patients with atopic eczema, 200
KARADUMAN, A. *see* LALE ATAHAN, I.
KARAKAS, M., BABA, M., AKSUNGUR, V.L., HOMAN, S., MEMISDOGLU, H.R. & UGUZ, A. Bacillary angiomatosis on a region of burned skin in a immunocompetent patient, 609
KÁRPÁTI, SAROLTA, DÉSAKNAI, S., DÉSAKNAI, M., BÍRÓ, J., NAGY, K. & HORVÁTH, A. Human herpesvirus type 8-positive facial angiosarcoma developing at the site of botulinum toxin injection for blepharospasm, 660
KASHIMA, M. *see* WATABE, H.
KASKEL, P. *see* PETER, R.U.
KASKEL, P. *see* SCHIENER, R.
KASKEL, P., KIND, P., SANDER, S., PETER, R.U. & KRÄHN, G. Trauma and melanoma formation: a true association?, 749
KASPER, K. *see* HOFFMAN, K.
KATAGATA, Y. *see* SUGIKI, H.
KATAYAMA, I. *see* SHINOHARA, M.
KATSUBE, T. *see* TANNO, O.
KATSUOKA, K. *see* AMO, Y.
KATSUOKA, K. *see* AMO, Y.
KAUFMAN, K.D. *see* VAN NESTE, D.
KAWAHARA, Y. *see* KOSUGE, H.
KAWAKAMI, T., SOMA, Y., MIZOGUEHI, M. & SAITO, R. Immunohistochemical expression of transforming growth factor β3 in calcinosis in a patient with systemic sclerosis and CREST syndrome, 1098
KAWASE, M. *see* ISHIJI, T.
KAWAURA, K., YANO, K., TAKAMA, H., MATSUMOTO, Y. & IDA, K. Nodular lesion on the sacrococcygeal area in a bicycle rider, 1124
KAYACAN, S.M. *see* BAYKAL, C.
KAYE, S.B. *see* GONZALEZ-MARTIN, J.
KAZANCIOGLU, R. *see* BAYKAL, C.
KEEFE, M. *see* BENNETT, C.E.
KEEFE, M. *see* VARMA, S.
KELSELL, D. *see* ISHIDA-YAMAMOTO, A.
KERSCHER, M. *see* PETER, R.U.
KERSCHER, M. *see* SCHIENER, R.
KESSELER, M.E. *see* MURPHY, R.
KHALIL, E.A.G. *see* ZILJSTRA, E.E.
KHAYAT, D. *see* SOUBRANE, C.
KIBE, Y., TAKENAKA, H. & KISHIMOTO, S. Spatial and temporal expression of basic fibroblast growth factor protein during wound healing of rat skin, 720
KIKUCHI, K. *see* KUBO, M.
KIM, B.K. *see* CHILD, F.J
KIM, J.W. *see* PARK, Y.M.
KIM, K.M. *see* YANG, J.E.
KIM, M. *see* LEE, J-B.
KIM, Y-G. *see* CHOI, G-S.
KIM, Y-G., JOO, H-J. & LEE, A-Y. Cutaneous entrapment of the shed cilium, 468
KIMBER, I., CUMBERBATCH, M., DEARMAN, R.J., BHUSHAN, M. & GRIFFITHS, C.E.M. Mobilization of epidermal Langerhans cells – reply from authors, 894
KIND, P. *see* KASKEL, P.
KINKELIN, I., HUND, M., NAUMANN, M. & HAMM, H. Effective treatment of frontal hyperhidrosis with botulinum toxin A, 824
KIRWAN, W.O. *see* O'SULLIVAN, M.J.
KIRYU, H. *see* DUAN, H.
KIRYU, H. *see* UENOTSUCHI, T.
KISHIMOTO, S. *see* KIBE, Y.
KISHIMOTO, S. *see* NUMAJIRI, T.
KITAJIMA, Y. *see* SEISHIMA, M.
KITAMURA, N. *see* TANNO, O.
KITASATO, H. *see* EGAWA, K.
KITTLER, H. & BINDER, M. A patient with naevoid basal cell carcinoma syndrome and Turner's syndrome, 1105
KIYOSAWA, T. *see* MURAKAMI, T.
KLIMASZEWSKI, A. *see* KAPOOR, R.
KLYSCZ, T. *see* WEIDE, B.
KNAPP, M. *see* CICHON, S.
KOBAYASHI, H. *see* SATO-MATSUMURA, K.C.
KOBAYASHI, H. *see* SATO-MATSUMURA, K.C.
KOBAYASHI, H. *see* YASUDA, H.
KOBAYASHI, T., MUNAKATA, S., SUGIURA, H. KOIZUMI, M., SUMIDA, M., MURATA, K. & SHINKAI, H. Angiotropic lymphoma: proliferation of B cells in the capillaries of cutaneous angiomas, 162
KOBZA BLACK, A. *see* GRATTAN, C.E.H.
KOBZA-BLACK, A. *see* DERRICK, E.K.
KOERTEN, H.K. *see* VANCOILLIE, G.
KOGA, T. *see* DUAN, H.
KOH, J-K. *see* AHN, S-J.
KOH, J-K. *see* CHANG, S-E.
KOH, J-K. *see* JANG, K.A.
KOH, J-K. *see* JANG, K-A.
KOHDA, M. *see* UEKI, H.
KOIZUMI, M. *see* KOBAYASHI, T.
KOJIMA, Y. *see* HASEGAWA, M.
KOLDE, G. *see* WORM, M.
KONDO, S. *see* SUGIKI, H.
KONDO, S. *see* YONETA, A.

KONO, T., ISHII, M. & TANIGUCHI, S. Intranasal buserelin acetate-induced pigmented rosela-like eruption, 658
KONO, T., TERASHIMA, T., OURA, H., ISHII, M., TANIGUCHI, S. & MURAMATSU, T. Recalcitrant subcorneal pustular dermatosis and bullous pemphigoid treated with mizoribine, an immunosuppressive, purine biosynthesis inhibitor, 1328
KOPERA, D. *see* VAN NESTE, D.
KOSSARD, S. *see* GILMOUR, T.K.
KOSUGE, H., TANAKA-TAYA, K., MIYOSHI, H., AMO, K., HARADA, R., EBIHARA, T., KAWAHARA, Y., YAMANISHI, K. & NISHIKAWA, T. Epidemiological study of human herpesvirus-6 and human herpesvirus-7 in pityriasis rosea, 795
KOSZIK, F. *see* SILBERER, M.
KOWALD, E. *see* WEBER, F.
KRÄHN, G. *see* KASKEL, P.
KRÄHN, G. *see* PETER, R.U.
KRÄMER, U. *see* SCHÄFER, T.
KREBS, A. *see* WIGGER-ALBERTI, W.
KRICHELI, D., DAVID, M., FRUSIC-ZLOTKIN, M., GOLDSMITH, D., RABINOV, M., SULKES, J. & MILNER, Y. The distribution of pemphigus vulgaris-IgG subclasses and their reactivity with desmoglein 3 and 1 in pemphigus patients and their first-degree relatives, 337
KRIEG, T. *see* PIONTEK, J-O.
KRUSE, R. *see* CICHON, S.
KRUTMANN, J. *see* RÖNNAU, A.C.
KUBO, M., IHN, H., YAMANE, K., YAZAWA, N., KIKUCHI, K., SOMA, Y. & TAMAKI, K. Increased serum levels of soluble vascular cell adhesion molecule-1 and soluble E-selectin in patients with polymyositis/dermatomyositis, 392
KUCHELMEISTER, C., SCHAUMBURG-LEVER, G. & GARBE, C. Acral cutaneous melanoma in caucasians: clinical features, histopathology and prognosis in 112 patients, 275
KUHN, H. *see* NENOFF, P.
KUKUK, G. *see* CICHON, S.
KUNDAKÇI, N. *see* BOYVAT, A.
KUNKELE, L., BIKKERS, S.C.E., BEZEMER, P.D. & BRUYNZEEL, D.P. (Un)usual effects of patch testing?, 582
KURAMOTO, N. *see* NUMAJIRI, T.
KUROKAWA, I., KUSUMOTO, K., BESSHO, K., OKUBO, Y., SENZAKI, H. & TSUBURA, A. Immunohistochemical expression of bone morphogenetic protein-2 in pilomatricoma, 754
KUROKI, M. *see* EGAWA, K.
KURWA, H.A., BARLOW, R.J. & NEILL, S. Single-episode photodynamic therapy and vulval intraepithelial neoplasia type III resistant to conventional therapy, 1040
KUS, S. *see* RATIP, S.
KUSUMOTO, K. *see* KUROKAWA, I.
KUWAHARA, M. *see* TANAKA, A.
KUZEL, D. *see* CIBULA, D.
KWONG, Y.L. *see* AU, W.Y.
LABEILLE, B. *see* KANITAKIS, J.
LALE ATAHAN, I., ÖZYAR, E., SAHIN, S., YILDIZ, F., YALÇIN, B. & KARADUMAN, A. Two cases of Stevens–Johnson syndrome: toxic epidermal necrolysis possibly induced by amifostine during radiotherapy, 1072
LAM, W-Y. *see* LI, S.P-S.
LAMBERT, J. *see* VANCOILLIE, G.
LANDTHALER, M. *see* DOUWES, K.E.
LANDTHALER, M. *see* MICHEL, S.
LANE, E.B. *see* BATTA, K.
LANIGAN, S.W. Measuring the improvement in pulsed dye laser treated port wine stains, 241
LANIGAN, S.W. *see* CHOWDHURY, M.M.U.
LANIGAN, S.W. *see* CLARK, S.M.
LANIGAN, S.W. *see* VARMA, S.
LAPORTE, J-L. *see* ROVEL-GUITERA, P.
LARIVEN, S. *see* RACHLINE, A.
LASSO, J.M., ESPAÑA, A., ZUDAIRE, M.I., DE ALAVA, E. & BAZÁN, A. Congenital infiltrating lipoma of the upper limb in a patient with von Willebrand disease, 180
LAW, N.W. *see* RIAZ, A.A.
LÁZARO, P. *see* GONZÁLEZ-BEATO, M.J.
LAZARO-OCHAÍTA, P.L. *see* JONES-CABALLERO, M.
LAZAROVA, Z. *see* ROH, J.Y.
LE BRUN, V. *see* BOULINGUEZ, S.
LE FICHOUX, Y. *see* ROUX, O.
LE POOLE, I.C. *see* VAN DEN WIJNGAARD, R.M.J.G.J.
LECUNA-ECHEVERRÍA, M.L. *see* JONES-CABALLERO, M.
LEDESMA, E. *see* NAGORE, E.
LEE, A-Y. *see* KIM, Y-G.
LEE, C.W. An extract of cultured A431cells contains major tissue antigens of autoimmune bullous diseases, 821
LEE, E-S. *see* SONG, M-G.
LEE, J-B., KIM, M., LEE, S-C. & WON, Y.H. Granuloma pyogenicum arising in an arteriovenous haemangioma associated with a port-wine stain, 669
LEE, J-H. *see* CHOI, G-S.
LEE, S-C. *see* LEE, J-B.
LEE, S-J. *see* CHOI, G-S.
LEIGH, I.M. *see* ISHIDA-YAMAMOTO, A.
LEITER, U. *see* PETER, R.U.
LEPPARD, B. & NABURI, A.E. The use of ivermectin in controlling an outbreak of scabies in a prison, 520
LESTRINGANT, G.G. *see* SAARINEN, K.A.
LEVELL, N.J. Thomas Bateman MD FLS 1778–1821, 9
LEWANDOWSKI, M.G. *see* CALB, I.L.
LI, L. *see* CHENG, L.
LI, S.P-S., TANG, W.Y-M., LAM, W-Y. & WONG, S-N. Renal failure and cholestatic jaundice as unusual complications of childhood pustular psoriasis, 1292
LIE, A.K.W. *see* AU, W.Y.
LIM, Y-S. *see* JANG, K-A.
LINDELHÖF, B., SIGURGEIRSSON, B., GÄBEL, H. & STERN, R.S. Incidence of skin cancer in 5356 patients following organ transplant, 513
LINDNER, G. *see* RÜCKERT, R.
LO, P-Y. & TZUNG, T-Y. Lichen myxedematosus in a patient with hepatocellular carcinoma, 452

LOANE, M.A., BLOOMER, S.E., CORBETT, R., EEDY, D.J., HICKS, N., LOTERY, H.E., MATHEWS, C., PAISLEY, J., STEELE, K. & WOOTTON, R. A comparison of real-time and store-and-forward teledermatology: a cost–benefit study, 1241
LOCHE, F., SCHWARZE, H.P., DURIEU, C. & BAZEX, J. A case of systemic lupus erythmatosus associated with cancer of the lung: a paraneoplastic association?, 210
LOO, W.J. & DAWBER, R.P.R. Digital arteriovenous malformation, 462
LÓPEZ ALVAREZ, J. *see* SAIZ HERVÁS, E.
LOPEZ-BRAN, E. *see* VAN NESTE, D.
LORETTE, G. *see* MARTIN, L.
LOTERY, H.E. *see* LOANE, M.A.
LOVATI, S. *see* NALDI, L.
LOWES, M.A. *see* WONG, D.A.
LUGER, T.A. *see* BÖHM, M.
LUI, H. *see* BISSONNETTE, R.
LUO, H.C. *see* CHENG, L.
LYON, C.C., SMITH, A.J., GRIFFITHS, C.E.M. & BECK, M.H. The spectrum of skin disorders in abdominal stoma patients, 1248
MACHET, L., MACHET, M.C. & VAILLANT, L. Effectiveness of terbinafine in cutaneous alternariosis, 1115
MACHET, M.C. *see* MACHET, L.
MACHET, M.C. *see* MARTIN, L.
MACIEJEWSKA-UDZIELA, B. *see* ZOUBOULIS, CH.C.
MACINTYRE, E. *see* MÉGARBANE, B.
MACKIE, R.M. *see* JURY, C.S.
MACKIE, R.M. *see* MORTON, C.A.
MAEDA, T., SATO, K., TANAKA, T., MINAMI, H., TAGUCHI, H., MIMAKI, T. & YOSHIKAWA, K. Compound heterozygous group A xeroderma pigmentosum patient with a novel mutation and an inherited reciprocal translocation, 174
MAESHIMA, H. *see* SUGIKI, H.
MAGNONI, C. *see* DI NARDO, A.
MAHOOD, J. *see* STONE, N.
MALER, L. *see* CALB, I.L.
MALINOVSZKY, K. *see* HOLME, S.A.
MALLON, E., BUNCE, M., SAVOIE, H., ROWE, A., NEWSON, R., GOTCH, F. & BUNKER, C.B. HLA-C and guttate psoriasis, 1177
MARCELLI, M. *see* DE PANFILIS, G.
MARCHESI, L. *see* DI LANDRO, A.
MARINHO, E. *see* MUSETTE, P.
MARREN, P.M. *see* FARRELL, A.M.
MARSCH, W.C. *see* WOHLRAB, J.
MARTÍN LLORENS, M. *see* SAIZ HERVÁS, E.
MARTIN, L., TOUTAIN, A., GUILLEN, C., HAFTEK, M., MACHET, M.C., TOLEDANO, C., ARBEILLE, B., LORETTE, G., RÖTIG, A. & VAILLANT, L. Inherited palmoplantar keratoderma and sensorineural deafness associated with A7445G point mutation in the mitochondrial genome, 876
MARTÍN, R. *see* DAUDÉN, E.
MARTINEZ, E. *see* ALSINA, M.
MARTÍN-HERRERA, A. *see* DORTA, S.
MARZANO, A.V., FACCHETTI, M., BERTI, E. & CAPUTO, R. Chronic graft-vs.-host disease with severe cicatrizing conjunctivitis mimicking cicatricial pemphigoid, 209
MASHINO, T. *see* DUAN, H.
MASI, M. *see* RICCI, G.
MASINI, C., ABENI, D.D., CATTARUZZA, M.S., CAPUANO, M., PEDICELLI, C., CERIMELE, F., PASQUINI, P., CERIMELE, D., FADDA, G. & CATTANI, P. Antibodies against human herpesvirus 8 in subjects with nonvenereal dermatological conditions, 484
MASOUYE, I. *see* SAARINEN, K.A.
MASSI, D. *see* CARLI, P.
MASSI, G. & FABRIZI, G. Histological changes in naevi with superimposed psoriasis, 688
MASSOBRIO, M. *see* MICHELETTI, L.
MASUDA, T. *see* DUAN, H.
MASUZAWA, M. *see* AMO, Y.
MATERNO, M. *see* MIRACCO, C.
MATHEWS, C. *see* LOANE, M.A.
MATSUISHI, E. *see* MURAKAMI, Y.
MATSUKURA, T. *see* ISHIJI, T.
MATSUMOTO, Y. *see* KAWAURA, K.
MATSUMURA, T. *see* SATO-MATSUMURA, K.C.
MATSUMURA, T. *see* SATO-MATSUMURA, K.C.
MATSUZAKI, Y. *see* SEISHIMA, M.
MAYOUX, C. *see* TROMPEZINSKI, S.
MCALLISTER, E.J. *see* JURY, C.S.
MCCARTHY, W.H. *see* WESTERHOFF, K.
MCCLEAN, D.I. *see* BISSONNETTE, R.
MCDONAGH, A.J.G. Rupert Hallam and the development of dermatology in Sheffield, 23
MCGREGOR, J.M. *see* PATEL, D.C.
MCINTYRE, A.S. *see* REED, J.R.
MCKEE, P.H. *see* DERRICK, E.K.
MCKENNA, D.B., COOPER, E.J. & TIDMAN, M.J. Topical psoralen plus ultraviolet A treatment for necrobiosis lipoidica, 1333
MCKENNA, D.B., DOHERTY, V.R., MCLAREN, K.M. & HUNTER, J.A.A. Malignant melanoma and lymphoproliferative malignancy: is there a shared aetiology?, 171
MCLAREN, K.M. *see* MCKENNA, D.B.
MCLEOD, R.I. Drug-induced aphthous ulcers, 1138
MEE, J.B., ALAM, Y. & GROVES, R.W. Human keratinocytes constitutively produce but do not process interleukin 18, 330
MEEWES, C., POSWIG, A., DISSEMOND, J., BRENNEISEN, P. & SCHARFFETTER-KOCHANEK, K. Adaptive antioxidant defence in human dermal fibroblasts, 662
MÉGARBANE, B., BODEMER, C., VALENS, F., RADFORD-WEISS, I., FRAITAG, S., MACINTYRE, E., BLETRY, O., VARET, B. & HERMINE, O. Association of acute neutrophilic dermatosis and myelodysplastic syndrome with (6; 9) chromosome translocation: a case report and review of the literature, 1322
MEIJER, C.J.L.M. *see* ZOI-TOLI, O.
MELCHI, C.F. *see* PICARDI, A.

MELIA, J., PENDRY, L., EISER, J.R., HARLAND, C. & MOSS, S. Evaluation of primary prevention initiatives for skin cancer: a review from a U.K. perspective, 701
MEMISDOGLU, H.R. *see* KARAKAS, M.
MEMPEL, M. *see* GRIMM, V.
MEMPEL, M. *see* MÖHRENSCHLAGER, M.
MENNA, L. *see* RICCI, G.
MENZIES, S.W. *see* WESTERHOFF, K.
MERK, H.F. *see* CHRISTOPHORIDIS, S.
MERTENS, G., DE SMET, D. & GIELIS, M. A case of chronic granulamatous skin disease associated with deficient HLA class I expression, 659
MESCHINO, N. *see* D'ANIELLO, C.
METIN, A. *see* DILEK, F.H.
MEUNIER, L. *see* STOEBNER, P.E.
MEYER, T. *see* HENGGE, U.R.
MEYER, T. *see* STOCKFLETH, E.
MEYNADIER, J. *see* RAISON-PEYRON, N.
MEYNADIER, J. *see* STOEBNER, P.E.
MICHEL, S., LANDTHALER, M. & HOHENLEUTNER, U. Recurrence of port-wine stains after treatment with the flashlamp-pumped pulsed dye laser, 1230
MICHELETTI, L., PRETI, M., BOGLIATTO, F., ZANOTTO-VALENTINO, M.C., GHIRINGHELLO, B. & MASSOBRIO, M. Vulval lichen planus in the practice of a vulval clinic, 1349
MIHARA, S. *see* MORITA, E.
MILLARD, L. Dermatological practice and psychiatry, 920
MILLS, C.M. *see* PATEL, G.K.
MILNER, Y. *see* KRICHELI, D.
MIMAKI, T. *see* MAEDA, T.
MIN, H-G. *see* SONG, M-G.
MINAMI, H. *see* MAEDA, T.
MIRACCO, C., PELLEGRINO, M., FLORI, M.L., VATTI, R., MATERNO, M. & ANDREASSI, L. Cyclin D1, B and A expression and cell turnover in psoriatic skin lesions before and after cyclosporin treatment, 950
MIRALLES, P. *see* GONZÁLEZ-BEATO, M.J.
MITSUHASHI, Y. *see* SUGIKI, H.
MITTAG, M. *see* NENOFF, P.
MIYAGAWA, S., NAKAJIMA, M., NISHIO, K., SOGAMI, J., TSUBAKIMOTO, A., YOSHIOKA, A. & SHIRAI, T. Guillain–Barré syndrome in a child with systemic lupus erythematosus and anti-Ro/SSA and anti-La/SSB autoantibodies, 1050
MIYAGAWA, S., TAKAHASHI, Y., NAGAI, A., YAMAMOTO, Y., NAKAGAWA, A., HORI, K., MORIKAWA, H., YOSHIOKA, A. & SHIRAI, T. Angio-oedema in a neonate with IgG antibodies to parvovirus B19 following intrauterine parvovirus B19 infection, 428
MIYOSHI, H. *see* KOSUGE, H.
MIZOGUCHI, M. *see* WATABE, H.
MIZOGUEHI, M. *see* KAWAKAMI, T.
MODERER, M. *see* OPPEL, T.
MÖHRENSCHLAGER, M., GLÖCKNER, A., JESSBERGER, B., WORRET, W.I., OLLERT, M., RAKOSKI, J. & RING, J. Codeine caused scarlatiniform pruritic exanthemata; patch test negative but positive to oral provocation test, 663
MÖHRENSCHLAGER, M., SCHNOPP, C., FESQ, H., STROM, K., BEHAM, A., MEMPEL, M., THOMSEN, S., BROCKOW, K., WESSNER, D.B., HEIDELBERGER, A., RUHDORFER, S., WEIGL, L., SEIDL, H.P., RING, J. & ABECK, D. Optimizing the therapeutic approach in tinea capitis of childhood with itraconazole, 1011
MOLIN, L., TARSTEDT, M. & ENGMAN, C. Oral terbinafine treatment for toenail onychomycosis: follow-up after 5–6 years, 682
MÖLLER, A. *see* GRABBE, J.
MOMMAAS, A M. *see* VANCOILLIE, G.
MONK, B.E. *see* CURRIE, C.L A.
MONTEIRO, M.R., MURPHY, E.E., GALARIA, N.A., WHITAKER-MENEZES, D. & MURPHY, G.F. Cytological alterations in dermal dendrocytes *in vitro*: evidence for transformation to a nondendritic phenotype, 84
MOON, K-C. *see* AHN, S-J.
MOON, K-C. *see* CHANG, S-E.
MOON, K-C. *see* JANG, K.A.
MOON, K-C. *see* JANG, K-A.
MOORE, J.V. *see* MORTON, C.A.
MOORE, K. *see* BOYCE, D.E.
MORIKAWA, H. *see* MIYAGAWA, S.
MORITA, E., YAMAMURA, Y., MIHARA, S., KAMEYOSHI, Y. & YAMAMOTO, S. Food-dependent exercise-induced anaphylaxis: a report of two cases and determination of wheat γ-gliadin as the presumptive allergen, 1059
MORRELL, D.S., RUBENSTEIN, D.S., BRIGGAMAN, R.A., FINE, J-D., PULKKINEN, L. & UITTO, J. Congenital pyloric atresia in a newborn with extensive aplasia cutis congenita and epidermolysis bullosa simplex, 1342
MORRIS, E. *see* PATEL, G.K.
MORRIS, S.D., ONADIM, Z. & YU, R.O. A case of naevus sebaceous associated with familial retinoblastoma, multiple lipomata and meningioma, 211
MORRIS-JONES, R. *see* DAVISON, S.C.
MORRIS-JONES, R., WALKER, M. & HARDMAN, C. Multicentric reticulohistiocytosis associated with Sjögren's syndrome, 649
MORTIMER, P.S. *see* HARLAND, C.C.
MORTON, C.A., WHITEHURST, C., MOORE, J.V. & MACKIE, R.M. Comparison of red and green light in the treatment of Bowen's disease by photodynamic therapy, 767
MOSS, C. *see* BATTA, K.
MOSS, S. *see* MELIA, J.
MOUAWAD, R. *see* SOUBRANE, C.
MOYANO, B. *see* GONZÁLEZ-BEATO, M.J.
MULDER, A. *see* VANCOILLIE, G.
MULDER, P.G.H. *see* WOLKERSTORFER, A.
MUNAKATA, S. *see* KOBAYASHI, T.
MUÑOZ, E. *see* DAUDÉN, E.
MUNRO, C.S. *see* GUPTA, G.
MURAKAMI, T., KIYOSAWA, T., MURATA, S., USUI, K., OHTSUKI, M. & NAKAGAWA, H. Malignant schwannoma with melanocytic differentiation arising in a patient with neurofibromatosis, 1078
MURAKAMI, Y. *see* DUAN, H.

MURAKAMI, Y., NAGAE, S., MATSUISHI, E., IRIE, K. & FURUE, M. A case of CD56+ cutaneous aleukaemic granulocytic sarcoma with myelodysplastic syndrome, 587
MURAMATSU, T. *see* KONO, T.
MURAMATSU, T. *see* TANAKA, A.
MURATA, K. *see* KOBAYASHI, T.
MURATA, S. *see* MURAKAMI, T.
MURPHY, E.E. *see* MONTEIRO, M.R.
MURPHY, G.F. *see* MONTEIRO, M.R.
MURPHY, L-A. & BUCKLEY, C. Dermatomal pruritus precipitated by drinking excessive quantities of black tea, 1355
MURPHY, R., KESSELER, M.E. & SLATER, D.N. Giant cell clear acanthoma, 1114
MUSCARDIN, L.M., BELLOCCI, M. & BALUS, L. Papuloverrucous colloid milium: an occupational variant, 884
MUSETTE, P., JOLY, P., GILBERT, D., MARINHO, E., CRICKX, B., TRON, F., BELAICH, S. & DESCAMPS, V. A paraneoplastic mixed bullous skin disease: breakdown in tolerance to multiple epidermal antigens, 149
MUSSET, L. *see* ROVEL-GUITERA, P.
NABURI, A.E. *see* LEPPARD, B.
NAEYAERT, J-M. *see* BROCHEZ, L.
NAEYAERT, J-M. *see* VANCOILLIE, G.
NAGAE, S. *see* MURAKAMI, Y.
NAGAI, A. *see* MIYAGAWA, S.
NAGORE, E., LEDESMA, E., COLLADO, C., OLIVER, V., PÉREZ-PÉREZ, A. & ALIAGA, A. Detection of Epstein–Barr virus and human herpesvirus 7 and 8 genomes in primary cutaneous T- and B-cell lyphomas, 320
NAGY, K. *see* KÁRPÁTI, SAROLTA
NAHAVANDI, H. *see* GEUSAU, A.
NÄHER, H. *see* WALDMANN, V.
NAKAGAWA, A. *see* MIYAGAWA, S.
NAKAGAWA, H. *see* MURAKAMI, T.
NAKAJIMA, M. *see* MIYAGAWA, S.
NAKAMURA, A. *see* HASEGAWA, M.
NAKAMURA, J. *see* YASUDA, H.
NAKAMURA, K. *see* WAKUGAWA, M.
NAKATANI, T. *see* TAKATA, M.
NAKAYAMA, J. *see* ITAKURA, E.
NALDI, L., LOVATI, S., FARINA, C., GOTTI, E. & CAINELLI, T. *Paecilomyces marquandii* cellulitis in a kidney transplant patient, 647
NAN, D.N., FERNÁNDEZ-AYALA, M., GARCÍA-PALOMO, D., ARCE, F. & FARIÑAS, M.C. Atypical skin lesions associated with mixed cryoglobulinaemia and hepatitis C virus infection in a cocaine-consuming patient, 1330
NARAYAN, S., BATTA, K., COLLOBY, P. & TAN, C.Y. Cutaneous *Cryptococcus* infection due to *C.albidus* associated with Sézary syndrome, 632
NAUMANN, M. *see* KINKELIN, I.
NAVAS, J. *see* BAÑULS, J.
NAZAROGLU, H. *see* AKDENIZ, S.
NEILL, S. *see* KURWA, H.A.
NEILL, S.M. *see* DERRICK, E.K.
NENOFF, P., RYTTER, M., SCHUBERT, S, KUHN, H., MITTAG, M., GLANDER, H-J. & HAUSTEIN, U-F. Multilocular inoculation tuberculosis of the skin after stay in Africa: detection of mycobacterial DNA using polymerase chain reaction, 226
NERI, I., PATRIZI, A., GUERRINI, V., RICCI, G. & CEVENINI, R. Eruptive pseudoangiomatosis, 435
NEUBER, K., SCHWARTZ, I., ITSCHERT, G. & TOM DIECK, A. Treatment of atopic eczema with oral mycophenolate mofetil, 385
NEWSON, R. *see* MALLON, E.
NG, W.M. *see* AU, W.Y.
NIELSEN-KUDSK, F. *see* GRØNHØJ LARSEN, F.
NIIMI, N. *see* GRATTAN, C.E.H.
NIIMURA, M. *see* ISHIJI, T.
NISHIKAWA, T. *see* KOSUGE, H.
NISHIO, K. *see* MIYAGAWA, S.
NIWA, M. *see* SEISHIMA, M.
NOCERA, T. *see* STOEBNER, P.E.
NODA, A. *see* DORTA, S.
NORGAUER, J. *see* HEROUY, Y.
NÖTHEN, M.M. *see* CICHON, S.
NUMAJIRI, T., KISHIMOTO, S., SHIBAGAKI, R., KURAMOTO, N., TAKENAKA, H. & YASUNO, H. Giant combined dermatofibroma, 655
NUMATA, T. *see* HASEGAWA, M.
O'CALLAGHAN, C.J. *see* AHMED, I.
O'DOCHERTY, C. *see* BLACKWELL, V.
O'DONNELL, B.F. *see* GRATTAN, C.E.H.
O'SULLIVAN, M.J. & KIRWAN, W.O. Post-traumatic pilonidal sinus of the face, 1353
OCHOA, S.M. *see* YAMAGUCHI, Y.
OFFIDANI, A. *see* AMERIO, P.
OFFIDANI, A., BERNARDINI, M.L., SIMONETTI, O., GIANGIACOMI, M., SIMONCINI, C. & BOSSI, G. Hypereosinophilic dermatosis: skin lesions as the only manifestation of the idiopathic hypereosinophilic syndrome?, 675
OGAWA, H. *see* SUHR, K.B.
OHKAWA, T. *see* AMO, Y.
OHTSUKA, T., SAEGUSA, M., YAMAKAGE, A. & YAMAZAKI, S. Angioblastoma (Nakagawa) with hyperhidrosis, and relapse after a 10-year interval, 223
OHTSUKI, M. *see* MURAKAMI, T.
OJEDA MARTOS, A. *see* CRESPO ERCHIGA, V.
OKOCHI, H. *see* WAKUGAWA, M.
OKUBO, Y. *see* KUROKAWA, I.
OLIVER, V. *see* NAGORE, E.
OLLAGUE, J.M., DE ZURITA, A.M. & CALERO, G. Paracoccidioidomycosis (South American blastomycosis) successfully treated with terbinafine: first case report, 188
OLLERT, M. *see* MÖHRENSCHLAGER, M.
ONADIM, Z. *see* MORRIS, S.D.
ONG, B.H. *see* TAY, Y.K.
ONG, C.S. & BENSON, E.M. Successful treatment of chronic leucocytoclastic vasculitis and persistent ulceration with intravenous immunoglobulin, 447

ONO, I. *see* ZHOU, L-J.
ONO, T. *see* EGAWA, K.
ONO, T. *see* EGAWA, K.
OPPEL, T., SCHULLER, E., GÜNTHER, S., MODERER, M., HABERSTOK, J., BIEBER, T. & WOLLENBERG, A. Phenotyping of epidermal dendritic cells allows the differentiation between extrinsic and intrinsic forms of atopic dermatitis, 1193
ORANJE, A.P. *see* WOLKERSTORFER, A.
ORCHARD, G. *see* WHITTAM, L.R.
ORFANOS, C.E. *see* BLUME-PEYTAVI, U.
ORTONNE, J.P. *see* ROUX, O.
OSBORNE, G.E.N., CHINN, R.J.S., FRANCIS, N.D. & BUNKER, C.B. Magnetic Resonance Imaging in the investigation of penile lymphangioma circumscriptum, 467
OSBORNE, G.E.N., FRANCIS, N.D. & BUNKER, C.B. Synchronous onset of penile lichen sclerosis and vitiligo, 218
OTA, Y. *see* TANNO, O.
OTSUKA, F. *see* ICHIKAWA, E.
OURA, H. *see* KONO, T.
OYAMA, N., IWATSUKI, K., SATOH, M., AKIBA, H. & KANEKO, F. Dermal fibroblasts are one of the therapeutic targets for topical application of 1α, 25-dihydroxyvitamin D3: the possible involvement of transforming growth factor-β induction, 1140
ÖZDEMIRLI, M. *see* RATIP, S.
ÖZYAR, E. *see* LALE ATAHAN, I.
PAES, T.R.F. *see* BARKHORDARIAN, A.R.
PAINTER, R. *see* VESSEY, M.P.
PAISLEY, J. *see* LOANE, M.A.
PALMER, R.A., SIDHU, S. & GOODWIN, P.G. Microdose isotretinoin, 205
PALOU, J. *see* ALSINA, M.
PANIZZON, R. *see* DE HELLER-MILEV, M.
PARK, J.G. *see* PARK, Y.M.
PARK, Y.M. *see* YANG, J.E.
PARK, Y.M., PARK, J.G., KANG, H., HOUH, D., BYUN, D.G. & KIM, J.W. Acute generalized exanthematous pustulosis induced by ingestion of lacquer chicken, 230
PARODI, A., COZZANI, E., CACCIAPUOTI, M. & REBORA, A. Chronic ulcerative stomatitis: antibodies reacting with the 70-kDa molecule react with epithelial nuclei, 671
PARSLEW, R. *see* AZURDIA, R.M.
PASCUAL, E. *see* BAÑULS, J.
PASOLINI, G. *see* DE PANFILIS, G.
PASQUINI, P. *see* MASINI, C.
PASQUINI, P. *see* PICARDI, A.
PATEL, D.C., BELLANEY, G.J., SEED, P.T., MCGREGOR, J.M. & HAWK, J.L.M. Efficacy of short-course oral prednisolone in polymorphic light eruption: a randomized control trial, 828
PATEL, G.K., HARDING, K.G. & MILLS, C.M. Severe disabling Köebnerizing ulcerated necrobiosis lipoidica successfully managed with topical PUVA, 668
PATEL, G.K., MORRIS, E., RASHID, M.R. & ANSTEY, A.V. Severe digital necrosis in an elderly patient with heterozygous factor V Leiden mutation, 1302
PATRIZI, A. *see* NERI, I.
PATRIZI, A. *see* RICCI, G.
PAUS, R. *see* RÜCKERT, R.
PAYDAS, S. & ZORLUDEMIR, S. Leukaemia cutis and leukaemic vasculitis, 773
PEDICELLI, C. *see* MASINI, C.
PELLEGRINO, M. *see* MIRACCO, C.
PELZER, K., TIETZ, H.J., STERRY, W. & HAAS, N. Isolation of both *Sporothrix schenckii* and *Nocardia asteroides* from a mycetoma of the forefoot, 1311
PEMBERTON, M. *see* THORNHILL, M.H.
PEMBROKE, A.C. *see* AMEEN, M.
PENDRY, L. *see* MELIA, J.
PERAL MARTINEZ, I. *see* GONZALEZ RUÍZ, A.
PEREA, M. *see* GRAU, J.M.
PÉREZ-MOLINA, J.A. *see* GONZÁLEZ-BEATO, M.J.
PÉREZ-PÉREZ, A. *see* NAGORE, E.
PÉRÉZ-SANTOS, S.P. *see* JONES-CABALLERO, M.
PERNET, I. *see* TROMPEZINSKI, S.
PERRIN, C. *see* BARAN, R.
PETER, R.U. *see* KASKEL, P.
PETER, R.U. *see* SCHIENER, R.
PETER, R.U., KASKEL, P., LEITER, U., KRÄHN, G., SCHIENER, R., PILLEKAMP, H. & KERSCHER, M. PUVA-bath photochemotherapy for congenital palmoplantar keratoderma in a 11-year-old girl, 464
PFÖHLER, C. *see* UGUREL, S.
PFROMMER, C. *see* BLUME-PEYTAVI, U.
PHYLACTIDES, L. *see* RIAZ, A.A.
PICARDI, A., ABENI, D., MELCHI, C.F., PUDDU, P. & PASQUINI, P. Psychiatric morbidity in dermatological outpatients: an issue to be recognized, 983
PIETTE, F. *see* CANONNE, D.
PIETTE, J-C. *see* ROVEL-GUITERA, P.
PILLEKAMP, H. *see* PETER, R.U.
PILLEKAMP, H. *see* SCHIENER, R.
PIONTEK, J-O., BORBERG, H., SOLLBERG, S., KRIEG, T. & HUNZELMANN, N. Severe exacerbation of pemphigus vulgaris in pregnancy: successful treatment with plasma exchange, 455
PIRKHAMMER, D., SEEBER, A., HÖNIGSMANN, H. & TANEW, A. Narrow-band ultraviolet B (TL-01) phototherapy is an effective and safe treatment option for patients with severe seborrhoeic dermatitis, 964
PLEWIG, G. *see* BORNHÖVD, E.
PLUSJÉ, L.G.J.M., BASTIAENS, M., CHANG, A. & HOGENDOORN, P.C.W. Infantile-type digital fibromatosis tumour in an adult, 1107
PORTALES, P. *see* DEREURE, O.
PORTER, S. & SCULLY, C. Management of oral lichen planus, 201
POSSINGER, K. *see* GENVRESSE, I.
POSWIG, A. *see* MEEWES, C.
POWELL, J. *see* VESSEY, M.P.
POWELL, J., SAKUNTABHAI, A., JAMES, M., BURGE, S. & HOVNANIAN, A. Grover's disease, despite histological

similarity to Darier's disease, does not share an abnormality in the ATP2A2 gene, 658
POWLES, A.V. *see* DAVISON, S.C.
POYNER, T. *see* HARLOW, D.
PRENS, E. *see* VAN NESTE, D.
PRETI, M. *see* MICHELETTI, L.
PRICE, M.L. *see* CHILD, F.J.
PRIOR, C. *see* WEBER, F.
PROIETTO, G. *see* AMERIO, P.
PROPPING, P. *see* CICHON, S.
PROVOST, T.T. *see* GOYAL, S.
PUDDU, P. *see* PICARDI, A.
PULKKINEN, L. *see* MORRELL, D.S.
QUERE, I. *see* DEGRAEVE, F.
RABINOV, M. *see* KRICHELI, D.
RACHLINE, A., LARIVEN, S., DESCAMPS, V., GROSSIN, M. & BOUVET, E. Leucocytoclastic vasculitis and idinavir, 1112
RADFORD-WEISS, I. *see* MÉGARBANE, B.
RAISON-PEYRON, N., DUVAL, P.A., BARNEON, G., DURAND, L., ARNAUD, B., MEYNADIER, J. & HAMEL, C. A syndrome combining severe hypotrichosis and macular dystrophy: absence of mutations in TIMP genes, 902
RAKOSKI, J. *see* MÖHRENSCHLAGER, M.
RAMÓN, R. *see* BAÑULS, J.
RASHID, M.R. *see* PATEL, G.K.
RASSNER, G. *see* WEIDE, B.
RATIP, S., AKIN, H., ÖZDEMIRLI, M., YÜCELTEN, D., KUS, S., EKENEL, M. & BAYIK, M. Scleredema of Buschke associated with Waldenström's macroglobulinaemia, 450
RAYCHAUDHURI, S.P., JIANG, W-Y., SMOLLER, B.R. & FARBER, E.M. Nerve growth factor and its receptor system in psoriasis, 198
REBORA, A. *see* PARODI, A.
REDONDO, P. *see* BAUZÁ, A.
REDONDO, P. *see* BAUZÁ, A.
REDONDO, P., IDOATE, M., GALOFRÉ, J.C. & SOLANO, T. Cidofovir inhibits growth of B16 melanoma cells *in vivo*, 741
REED, J. *see* STONE, N.
REED, J.R., DE LUCA, N., MCINTYRE, A.S. & WILKINSON, J.D. Localized morphoea, xanthomatosis and primary biliary cirrhosis, 652
REES, J. Genetics, past and present, and the rise of systems dermatology, 41
REINHOLD, U. *see* UGUREL, S.
REIX, S. *see* BOULINGUEZ, S.
RESEGHETTI, A. *see* DI LANDRO, A.
REVUZ, J. *see* BÉNÉTON, N.
REVUZ, J. *see* BOULOC, A.
REYNOLDS, J.C. *see* BENNETT, C.E.
RIAZ, A.A., SMITH, F., PHYLACTIDES, L. & LAW, N.W. Panniculitis complicating gallstone pancreatitis with subsequent resolution after therapeutic endoscopic retrograde cholangiopancreatography, 1332
RICCI, G. *see* NERI, I.
RICCI, G., PATRIZI, A., SPECCHIA, F., MENNA, L., BOTTAU, P., D'ANGELO, V. & MASI, M. Effect of house dust mite avoidance measures in children with atopic dermatitis, 379
RICHARD, M.A. *see* WINNEFELD, M.
RICHERT, B. *see* VANHOOTEGHEM, O.
RIDLEY, C.M. *see* DERRICK, E.K.
RIECHERS, R. *see* EMING, R.
RIEMANN, B. *see* BÖHM, M.
RING, J. *see* GRIMM, V.
RING, J. *see* MÖHRENSCHLAGER, M.
RING, J. *see* MÖHRENSCHLAGER, M.
RING, J. *see* SCHÄFER, T.
RÍOS-MARTÍN, J.J., SOLORZANO-AMORETI, A., GONZÁLEZ-CÁMPORA, R. & GALERA-DAVIDSON, H. Neuroendocrine carcinoma of the skin with a lymphoepithelioma-like histological pattern, 460
ROBERTS, D.J.H. *see* HALLER, J.C.
ROBERTS, D.L. *see* HOLME, S.A.
ROBERTS, D.L. *see* HOLMES, S.A.
ROBERTS, J. *see* VAN NESTE, D.
RÖCKEN, M. *see* BORNHÖVD, E.
ROH, J.Y., YEE, C., LAZAROVA, Z., HALL, R.P. & YANCEY, K.B. The 120-kDa soluble ectodomain of type XVII collagen is recognized by autoantibodies in patients with pemphigoid and linear IgA dermatosis, 104
ROHRBACH, D. *see* WOHLRAB, J.
RÖNNAU, A.C., WULFERINK, M., GLEICHMANN, E., UNVER, E., RUZICKA, T., KRUTMANN, J. & GREWE, M. Anaphylaxis to polyvinylpyrrolidone in an analgesic preparation, 1055
RÖTIG, A. *see* MARTIN, L.
ROUJEAU, J.C. *see* BÉNÉTON, N.
ROUX, O., DESRUELLES, F., DELAUNAY, P., LE FICHOUX, Y. & ORTONNE, J.P. Ticks and photo safari in South Africa, 1109
ROVEL-GUITERA, P., DIEMERT, M-C., CHARUEL, J-L., LAPORTE, J-L., MUSSET, L., CHOSIDOW, O., PIETTE, J-C. & FRANCÈS, C. IgA antineutrophil cytoplasmic antibodies in cutaneous vasculitis, 99
ROWE, A. *see* MALLON, E.
RÖWERT, J. *see* STOCKFLETH, E.
RUBEGNI, P., DE ALOE, G. & FIMIANI, M. Extracorporeal photochemotherapy in long-term treatment of early stage cutaneous T-cell lymphoma, 894
RUBENSTEIN, D.S. *see* MORRELL, D.S.
RÜCKERT, R., LINDNER, G., BULFONE-PAUS, S. & PAUS, R. High dose proinflammatory cytokines induce apoptosis of hair bulb keratinocytes *in vivo*, 1036
RUGE, F. *see* BOYCE, D.E.
RUGG, E.L *see* BATTA, K.
RUHDORFER, S. *see* MÖHRENSCHLAGER, M.
RUSSELL-JONES, R. *see* AMEEN, M.
RUSSELL-JONES, R. *see* CHILD, F.J.
RUSSELL-JONES, R. *see* WHITTAM, L.R.
RUZICKA, T. *see* RÖNNAU, A.C.
RYAN, T.J. Mobilization of epidermal Langerhans cells, 893
RYATT, K.S. *see* FINCH, T.M.
RYTTER, M. *see* NENOFF, P.

SAARINEN, K.A., LESTRINGANT, G.G., MASOUYE, I. & FROSSARD, P.M. Actinic damage and squamous cell carcinoma in sun-exposed skin affected by vitiligo, 219
SABROE, R.A., CHILD, F.J., WOOLFORD, A.J., SPITTLE, M.F. & JONES, R.R. Rituximab in cutaneous B-cell lymphoma: a report of two cases, 157
SAEGUSA, M. *see* OHTSUKA, T.
SÁEZ, M. *see* DORTA, S.
SAHIN, S. *see* LALE ATAHAN, I.
SAITO, R. *see* KAWAKAMI, T.
SAITO, Y. *see* KAKINUMA, Y.
SAIZ HERVÁS, E., MARTÍN LLORENS, M. & LÓPEZ ALVAREZ, J. Peripheral neuropathy as the first manifestation of Madelung's disease, 684
SAKRAUSKI, A.K. *see* BORNHÖVD, E.
SAKUNTABHAI, A. *see* POWELL, J.
SALIM, A., EMERSON, R.M. & DALZIEL, K.L. Successful treatment of severe generalized pustular psoriasis with basiliximab (interleukin 2 receptor blocker), 1121
SANCHEZ FAJARDO, F. *see* CRESPO ERCHIGA, V.
SÁNCHEZ REGAÑA, M. & URBERT MILLET, P. Psoriasis in association with prolactinoma: three cases, 864
SÁNCHEZ, C. *see* GONZÁLEZ-BEATO, M.J.
SÁNCHEZ, R. *see* DORTA, S.
SANCHEZ-PEDRENO, P. *see* VAN NESTE, D.
SANDER, S. *see* KASKEL, P.
SASAKI, M. *see* AMO, Y.
SASIENI, P. *see* BATAILLE, V.
SATA, T. *see* ISHIJI, T.
SATANA, D. *see* BAYKAL, C.
SATCHELL, A.C. & BARNETSON, R.ST C. Staphylococcal septicaemia complicating treatment of atopic dermatitis with mycophenolate, 202
SATO, K. *see* MAEDA, T.
SATOH, E. *see* UENOTSUCHI, T.
SATOH, M. *see* OYAMA, N.
SATO-MATSUMURA, K.C., MATSUMURA, T., HAYASHI, H., ATSUMI, T. & KOBAYASHI, H. Factor XII deficiency: a possible cause of livedo with ulceration?, 897
SATO-MATSUMURA, K.C., MATSUMURA, T., KOBAYASHI, H., FUJIMOTO, K., ITOH, T., SHIMIZU, M. & SHIMIZU, H. Marked swollen erythema of the face together with sicca syndrome as a sign for chronic active Epstein–Barr virus infection, 1351
SAURAT, J-H. *see* BRAUN, R.P.
SAVIN, J.A. Osler and the skin, 1
SAVOIE, H. *see* MALLON, E.
SAVOY, D. *see* DEREURE, O.
SAXENA, A. *see* HULL, P.R.
SCHÄFER, T., KRÄMER, U., VIELUF, D., ABECK, D., BEHRENDT, H. & RING, J. The excess of atopic eczema in East Germany is related to the intrinsic type, 992
SCHANDENE, L. *see* SIMONART, T.
SCHARFFETTER-KOCHANEK, K. *see* MEEWES, C.
SCHAUMBURG-LEVER, G. *see* KUCHELMEISTER, C.
SCHEEPMAKER, A. *see* VAN DEN WIJNGAARD, R.M.J.G.J.
SCHIENER, R. *see* PETER, R.U.
SCHIENER, R., BEHRENS-WILLIAMS, S.C., PILLEKAMP, H., KASKEL, P., PETER, R.U. & KERSCHER, M. Calcipotriol vs. tazarotene as combination therapy with narrowband ultraviolet B (311 nm): efficacy in patients with severe psoriasis, 1275
SCHITTEK, B. *see* WEIDE, B.
SCHMIDT, J.B. *see* GEUSAU, A.
SCHMITT, D. *see* TROMPEZINSKI, S.
SCHMUTH, M. *see* WEBER, F.
SCHNOPP, C. *see* MÖHRENSCHLAGER, M.
SCHOFIELD, J. *see* HALLER, J.C.
SCHÖPF, E. *see* HEROUY, Y.
SCHUBERT, S *see* NENOFF, P.
SCHULLER, E. *see* OPPEL, T.
SCHULTEWOLTER, T. *see* HENGGE, U.R.
SCHÜZ, K. *see* WEIDE, B.
SCHWARTZ, I. *see* NEUBER, K.
SCHWARZE, H.P. *see* LOCHE, F.
SCULLY, C. *see* PORTER, S.
SEEBER, A. *see* PIRKHAMMER, D.
SEED, P.T. *see* GRATTAN, C.E.H.
SEED, P.T. *see* PATEL, D.C.
SEGARD, M. *see* CANONNE, D.
SEIDENARI, S. *see* DI NARDO, A.
SEIDL, H.P. *see* MÖHRENSCHLAGER, M.
SEISHIMA, M., KANOH, H., IZUMI, T., NIWA, M., MATSUZAKI, Y., TAKASU, A., BAN, M. & KITAJIMA, Y. A refractory case of secondary erythermalgia successfully treated with lumbar sympathetic ganglion block, 868
SENSHU, T. *see* ISHIDA-YAMAMOTO, A.
SENZAKI, H. *see* KUROKAWA, I.
SEPP, N. *see* WEBER, F.
SEVER, M.S. *see* BAYKAL, C.
SHAPIRO, J. *see* BISSONNETTE, R.
SHARPE, G.R. *see* AZURDIA, R.M.
SHEK, T.W. *see* AU, W.Y.
SHIBAGAKI, R. *see* NUMAJIRI, T.
SHIBAKI, H. *see* ISHIDA-YAMAMOTO, A.
SHIMIZU, H. *see* SATO-MATSUMURA, K.C.
SHIMIZU, H. *see* ZILLIKINS, D.
SHIMIZU, H., TAKAI, T., ICHIHASHI, M. & UEDA, M. A case of generalized hair follicle hamartoma associated with diffuse sclerosis of the face, 1103
SHIMIZU, M. *see* SATO-MATSUMURA, K.C.
SHINKAI, H. *see* KAKINUMA, Y.
SHINKAI, H. *see* KOBAYASHI, T.
SHINOHARA, M., HAMASAKI, Y. & KATAYAMA, I. Refractory pretibial myxoedema with response to intralesional insulin-like growth factor 1 antagonist (octreotide): downregulation of hyaluronic acid production by the lesional fibroblasts, 1083
SHINONAGA, S. *see* HASEGAWA, M.
SHIOHARA, T. *see* TERAKI, Y.
SHIRAI, T. *see* MIYAGAWA, S.
SHIRAI, T. *see* MIYAGAWA, S.
SHIRASAKI, F. *see* TAKATA, M.
SIDHU, S. *see* PALMER, R.A.

SIDWELL, R.U., DOE, P.T., SINETT, D., FRANCIS, N. & BUNKER, C.B. Lymphocytoma cutis and chronic infection, 909
SIGURGEIRSSON, B. *see* LINDELHÖF, B.
SILBERER, M., KOSZIK, F., STINGL, G. & ABERER, E. Downregulation of class II molecules on epidermal Langerhans cells in Lyme borreliosis, 786
SIMONART, T., HERMANS, P., SCHANDENE, L. & VAN VOOREN, J.P. Phenotypic characteristics of Kaposi's sarcoma tumour cells derived from patch-, plaque- and nodular-stage lesions: analysis of cell cultures isolated from AIDS and non-AIDS patients and review of the literature, 557
SIMONCINI, C. *see* OFFIDANI, A.
SIMONETTI, O. *see* OFFIDANI, A.
SINETT, D. *see* SIDWELL, R.U.
SINGH, P. *see* WILSON, J.R.
SKARIN, T. *see* ISLAM, T.C.
SKELTON, H. *see* GERMAIN, M.
SLACK, G. *see* HALLER, J.C.
SLATER, D.N. *see* MURPHY, R.
SMITH, A.J. *see* LYON, C.C.
SMITH, C. *see* GONZALEZ-MARTIN, J.
SMITH, C. *see* HIGGINS, E.
SMITH, F. *see* RIAZ, A.A.
SMITH, K.J. *see* GERMAIN, M.
SMOLLER, B.R. *see* RAYCHAUDHURI, S.P.
SOGAMI, J. *see* MIYAGAWA, S.
SOLANO, T. *see* REDONDO, P.
SOLLBERG, S. *see* PIONTEK, J-O.
SOLORZANO-AMORETI, A. *see* RÍOS-MARTÍN, J.J.
SOMA, Y. *see* KAWAKAMI, T.
SOMA, Y. *see* KUBO, M.
SONG, J. *see* KANG, H.Y.
SONG, M.K. *see* HENG, M.C.Y.
SONG, M-G., MIN, H-G., JUNG, S-Y., YANG, J-M. & LEE, E-S. Trichilemmal carcinoma with a cutaneous horn, 646
SOTO-MENDOZA, N. & BONIFAZ, A. Head actinomycetoma with a double aetiology, caused by *Nocardia brasiliensis* and *N. asteroides*, 192
SOUBRANE, C., MOUAWAD, R., ANTOINE, E.C., VEROLA, O., GIL-DELGADO, M. & KHAYAT, D. A comparative study of Fas and Fas-ligand expression in melanoma, 307
SOUTHERN, S.A. *see* CHILD, F.J
SPARSA, A. *see* BOULINGUEZ, S.
SPÄTH-SCHWALBE, E. *see* GENVRESSE, I.
SPECCHIA, F. *see* RICCI, G.
SPITTLE, M.F. *see* SABROE, R.A.
STALLMEISTER, N. *see* WAGNER, R.
STARK, G.B. *see* HEROUY, Y.
STARK, M. *see* WEIDE, B.
STEELE, K. *see* LOANE, M.A.
STEINKJER, B. *see* GRØNHØJ LARSEN, F.
STENE, J-J. *see* VAN NESTE, D.
STERN, R.S. *see* LINDELHÖF, B.
STERRY, W. *see* PELZER, K.
STERRY, W. *see* WORM, M.
STINGL, G. *see* GEUSAU, A.
STINGL, G. *see* SILBERER, M.
STOCKFLETH, E. *see* HENGGE, U.R.
STOCKFLETH, E., RÖWERT, J., ARNDT, R., CHRISTOPHERS, E. & MEYER, T. Detection of human papillomavirus and response to topical 5% imiquimod in a case of stucco keratosis, 846
STOEBNER, P.E., NOCERA, T., MEYNADIER, J. & MEUNIER, L. Efficacy of docetaxel in disseminated classical Kaposi's sarcoma, 1357
STONE, N., REED, J., MAHOOD, J., HARDWICK, N. & GEORGE, S. Xeroderma pigmentosum: the role of phototesting, 595
STROM, K. *see* MÖHRENSCHLAGER, M.
STUHLER, A. *see* ZOUBOULIS, CH.C.
SUGIKI, H., HOZUMI, Y., MAESHIMA, H., KATAGATA, Y., MITSUHASHI, Y. & KONDO, S. C2-ceramide induces apoptosis in a human squamous cell carcinoma cell line, 1154
SUGIMOTO, K. *see* AMO, Y.
SUGIURA, H *see* KOBAYASHI, T.
SUHR, K.B., TSUBOI, R. & OGAWA, H. Sphingosylphosphorylcholine stimulates contraction of fibroblast-embedded collagen gel, 66
SULKES, J. *see* KRICHELI, D.
SUMIDA, M. *see* KOBAYASHI, T.
SUMITRAN, S. *see* ISLAM, T.C.
SUN, C-C., WU, J., WANG, L-F., CHUAN, M-T. & WONG, T-T. High levels of interleukin 8, soluble CD4 and soluble CD8 in bullous pemphigoid blister fluid. The relationship between local cytokine production and lesional T-cell activities, 1235
SUNG, K-J. *see* AHN, S-J.
SUNG, K-J. *see* CHANG, S-E.
SUNG, K-J. *see* JANG, K.A.
SUNG, K-J. *see* JANG, K-A.
SYED, S. *see* YATES, R.
SZEIMIES, R-M. *see* DOUWES, K.E.
TADA, H. *see* TANAKA, A.
TAGLIONI, M. *see* BRAMBILLA, L.
TAGUCHI, H. *see* MAEDA, T.
TAJIMA, S. *see* TANAKA, N.
TAKAHASHI, H. *see* ISHIDA-YAMAMOTO, A.
TAKAHASHI, Y. *see* MIYAGAWA, S.
TAKAI, T. *see* SHIMIZU, H.
TAKAMA, H. *see* KAWAURA, K.
TAKAO, J. *see* UEKI, H.
TAKASU, A. *see* SEISHIMA, M.
TAKASU, H. *see* AMO, Y.
TAKATA, M., SHIRASAKI, F., NAKATANI, T. & TAKEHARA, K. Hereditary nonpolyposis colorectal cancer associated with disseminated superficial porokeratosis. Microsatellite instability in skin tumours, 851
TAKEHARA, K. *see* TAKATA, M.
TAKENAKA, H. *see* KIBE, Y.
TAKENAKA, H. *see* NUMAJIRI, T.
TAMAKI, K. *see* KUBO, M.
TAMAKI, K. *see* WAKUGAWA, M.

TAMAUCHI, H. *see* AMO, Y.
TAN, C.Y. *see* NARAYAN, S.
TAN, E., YOSIPOVITCH, G., GIAM, Y-C. & TAN, S.H. Bullous Sweet's syndrome associated with acute hepatitis B infection: a new association, 914
TAN, S.H. *see* TAN, E.
TANAKA, A., HATOKO, M., KUWAHARA, M., TADA, H. & MURAMATSU, T. Recurrent mucinous carcinoma of the skin invading to the frontal skull base, 457
TANAKA, N., FUJIOKA, A., TAJIMA, S., ISHIBASHI, A. & HIROSE, S. Elafin is induced in epidermis in skin disorders with dermal neutrophilic infiltration: interleukin 1 and tumour necrosis factor-α stimulate its secretion *in vitro*, 728
TANAKA, T. *see* MAEDA, T.
TANAKA-TAYA, K. *see* KOSUGE, H.
TANEW, A. *see* PIRKHAMMER, D.
TANG, W.Y-M. *see* LI, S.P-S.
TANIGUCHI, S. *see* KONO, T.
TANIGUCHI, S. *see* KONO, T.
TANNO, O., OTA, Y., KITAMURA, N., KATSUBE, T. & INOUE, S. Nicotinamide increases biosynthesis of ceramides as well as other stratum corneum lipids to improve the epidermal permeability barrier, 524
TARSTEDT, M. *see* MOLIN, L.
TATEISHI, Y. *see* ICHIKAWA, E.
TAY, Y.K. & ONG, B.H. Cutaneous angiosarcoma presenting as recurrent angio-oedema of the face, 1346
TERAKI, Y., HOTTA, T. & SHIOHARA, T. Increased circulating skin-homing cutaneous lymphocyte-associated antigen (CLA)+ type 2 cytokine-producing cells, and decreased CLA+ type 1 cytokine-producing cells in atopic dermatitis, 373
TERAO, H. *see* DUAN, H.
TERASHIMA, T. *see* KONO, T.
THE FRENCH STUDY GROUP OF CUTANEOUS LYMPHOMA, J. *see* BOULOC, A.
THEAKER, E. *see* THORNHILL, M.H.
THESTRUP-PEDERSEN, K. *see* BERTH-JONES, J.
THOMSEN, S. *see* MÖHRENSCHLAGER, M.
THOMSON, K.F. & HIGHET, A.S. Penile ulceration in fatal malignant atrophic papulosis (Degos' disease), 1320
THORNHILL, M.H., PEMBERTON, M., BUCHANAN, J. & THEAKER, E. An open clinical trial of sulphamethoxypyridazine in the treatment of mucous membrane pemphigoid, 117
TIDMAN, M.J. *see* MCKENNA, D.B.
TIETZ, H.J. *see* PELZER, K.
TIGGES, A.J. *see* VAN DEN WIJNGAARD, R.M.J.G.J.
TILGEN, W. *see* UGUREL, S.
TODD, G. *see* BERTH-JONES, J.
TOFTGÅRD, R. *see* ISLAM, T.C.
TOLEDANO, C. *see* MARTIN, L.
TOLL, A. *see* ALSINA, M.
TOLOMIO, E. *see* VERGANI, R.
TOM DIECK, A. *see* NEUBER, K.
TOMIZAWA, K. Early malignant melanoma manifested as longitudinal melanonychia: subungual melanoma may arise from suprabasal melanocytes, 431
TORRESANI, C. *see* DE PANFILIS, G.
TORTEL, M.C. *see* BOULOC, A.
TOSTI, A. *see* VAN NESTE, D.
TOUTAIN, A. *see* MARTIN, L.
TOYAMA, K. *see* WAKUGAWA, M.
TREFZER, D. *see* HEROUY, Y.
TROMPEZINSKI, S., PERNET, I., MAYOUX, C., SCHMITT, D. & VIAC, J. Transforming growth factor-1 and ultraviolet A1 radiation increase production of vascular endothelial growth factor but not of endothelin-1 in human dermal fibroblasts, 539
TRON, F. *see* MUSETTE, P.
TRÜEB, R.M. *see* BARRAUD-KLENOVSEK, M.M.
TSANG, V. *see* YATES, R.
TSCHACHLER, E. *see* GEUSAU, A.
TSUBAKIMOTO, A. *see* MIYAGAWA, S.
TSUBOI, R. *see* SUHR, K.B.
TSUBURA, A. *see* KUROKAWA, I.
TSUKAHARA, T. *see* KAKINUMA, Y.
TULLI, A. *see* GUERRIERO, C.
TUNSTALL, R. *see* HALLER, J.C.
TURNER, R.J., WALSHAW, D., DIFFEY, B.L. & FARR, P.M. A controlled study of ultraviolet A sunbed treatment of psoriasis, 957
TUZCU, A. *see* HARMAN, M.
TZUNG, T-Y. *see* LO, P-Y.
UEDA, M. *see* HORIKAWA, T.
UEDA, M. *see* SHIMIZU, H.
UEDA, T. *see* HORIKAWA, T.
UEKI, H., TAKAO, J., YAMASAKI, F., YODA, N., YAMAGUCHI, M. & KOHDA, M. Pemphigus foliaceus associated with silicosis, 456
UENOTSUCHI, T., SATOH, E., KIRYU, H. & YANO, Y. *Pyemotes* dermatitis caused by indirect contact with husk rice, 680
UGRAS, S. *see* DILEK, F.H.
UGUREL, S., PFÖHLER, C., TILGEN, W. & REINHOLD, U. S100-beta serum protein: a new marker in the diagnosis and monitoring of Langerhans cell histiocytosis?, 201
UGUZ, A. *see* KARAKAS, M.
UITTO, J. *see* MORRELL, D.S.
UNVER, E. *see* RÖNNAU, A.C.
URABE, K. *see* DUAN, H.
URABE, K. *see* ITAKURA, E.
URBERT MILLET, P. *see* SÁNCHEZ REGAÑA, M.
USUI, K. *see* MURAKAMI, T.
UZIEL, L. *see* VERGANI, R.
VACCARO, M. *see* BORGIA, F.
VADOUD-SEYEDI, J., VADOUD-SEYEDI, R. & DE DOBBELEER, G. Progressive nodular histiocytomas, 678
VADOUD-SEYEDI, R. *see* VADOUD-SEYEDI, J.
VAILLANT, L. *see* MACHET, L.
VAILLANT, L. *see* MARTIN, L.
VALENS, F. *see* MÉGARBANE, B.
VAN BEEK, P. *see* ZOI-TOLI, O.

VAN DEN WIJNGAARD, R.M.J.G.J., ATEN, J., SCHEEPMAKER, A., LE POOLE, I.C., TIGGES, A.J., WESTERHOF, W. & DAS, P.K. Expression and modulation of apoptosis regulatory molecules in human melanocytes: significance in vitiligo, 573
VAN GEERTRUYDEN, J. *see* DANGOISSE, C.
VAN NESTE, D., FUH, V., SANCHEZ-PEDRENO, P., LOPEZ-BRAN, E., WOLFF, H., WHITING, D., ROBERTS, J., KOPERA, D., STENE, J-J., CALVIERI, S., TOSTI, A., PRENS, E., GUARRERA, M., KANOJIA, P., HE, W. & KAUFMAN, K.D. Finasteride increases anagen hair in men with androgenetic alopecia, 804
VAN OOSTVELDT, P. *see* VANCOILLIE, G.
VAN VOOREN, J.P. *see* SIMONART, T.
VANCOILLIE, G., LAMBERT, J., MULDER, A., KOERTEN, H.K., MOMMAAS, A M., VAN OOSTVELDT, P. & NAEYAERT, J-M. Cytoplasmic dynein colocalizes with melanosomes in normal human melanocytes, 298
VANDENBOSSCHE, L. *see* VANHOOTEGHEM, O.
VANDEVEIRE, A. *see* VANHOOTEGHEM, O.
VANHOOTEGHEM, O., RICHERT, B., VINDEVOGHEL, A., VANDENBOSSCHE, L., VANDEVEIRE, A. & DE LA BRASSINNE, M. Subungual abscess: a new ungual side-effect related to docetaxel therapy, 462
VANHOUTTE, F.P. *see* BERTH-JONES, J.
VANSCHEIDT, W. *see* HEROUY, Y.
VARET, B. *see* MÉGARBANE, B.
VARMA, S. & LANIGAN, S.W. Management difficulties due to concurrent dermatitis herpetiformis and variegate porphyria, 654
VARMA, S., HAWORTH, A., KEEFE, M. & ANSTEY, A.V. Delayed onset of cutaneous symptoms in erythropoietic protoporphyria, 221
VATTI, R. *see* MIRACCO, C.
VENTO, S. *see* CAINELLI, F.
VERA CASAÑO, A. *see* CRESPO ERCHIGA, V.
VERBOV, J. Medical history from the Journal, 29
VERBOV, J. *see* GONZALEZ-MARTIN, J.
VERDOLINI, R. *see* AMERIO, P.
VERGANI, R., BETTI, R., UZIEL, L., TOLOMIO, E. & CROSTI, C. Eruptive multiple sporadic cutaneous piloleiomyomas in a patient with chronic lymphoctic leukaemia, 907
VERMEER, M.H. *see* ZOI-TOLI, O.
VÉROLA, O. *see* BACHMEYER, C.
VEROLA, O. *see* SOUBRANE, C.
VESSEY, M.P., PAINTER, R. & POWELL, J. Skin disorders in relation to oral contraception and other factors, including age, social class, smoking and body mass index. Findings in a large cohort study, 815
VIAC, J. *see* TROMPEZINSKI, S.
VIELUF, D. *see* SCHÄFER, T.
VINDEVOGHEL, A. *see* VANHOOTEGHEM, O.
VISSER, R.L. *see* WOLKERSTORFER, A.
VOHRADNIKOVA, O. *see* CIBULA, D.
VON DEN DRIESCH, P. *see* COORS, E.A.
VON DEN DRIESCH, P. *see* COORS, E.A.
WAGNER, R. & STALLMEISTER, N. *Cheyletiella* dermatitis in humans, dogs and cats, 1110
WAKELIN, S.H. *see* BARKHORDARIAN, A.R.
WAKUGAWA, M., NAKAMURA, K., HINO, H., TOYAMA, K., HATTORI, N., OKOCHI, H., YAMADA, H., HIRAI, K., TAMAKI, K. & FURUE, M. Elevated levels of eotaxin and interleukin-5 in blister fluid of bullous pemphigoid: correlation with tissue eosinophilia, 112
WALDMANN, V., GOLDSCHMIDT, H., JÄCKEL, A., DEICHMANN, M., HEGENBART, U., HARTSCHUH, W., HO, A. & NÄHER, H. Transient complete remission of metastasized Merkel cell carcinoma by high-dose polychemotherapy and autologous peripheral blood stem cell transplantation, 837
WALKER, M. *see* MORRIS-JONES, R.
WALKER, S.L. & HARLAND, C.C. Carbon dioxide laser resurfacing of facial scarring secondary to chronic discoid lupus erythematosus, 1101
WALKER, S.L., BANERJEE, P., HARLAND, C.C. & BLACK, M.M. Remission of linear IgA disease associated with ulcerative colitis following colectomy, 1341
WALLI, R. *see* BORNHÖVD, E.
WALSHAW, D. *see* TURNER, R.J.
WANG, L-F. *see* SUN, C-C.
WANG, W-J., HUANG, C-Y., CHANG, Y.T. & WONG, C-K. Anosacral cutaneous amyloidosis – a study of 10 Chinese cases, 1266
WATABE, H., KASHIMA, M., BABA, T. & MIZOGUCHI, M. A case of unilateral dermatomal cavernous haemangiomatosis, 888
WEBER, F., PRIOR, C., KOWALD, E., SCHMUTH, M. & SEPP, N. Cyclophosphamide therapy is effective for bronchiolitis obliterans occurring as a late manifestation of lupus erythematosus, 453
WECHSLER, J. *see* BÉNÉTON, N.
WEE, J. *see* YOSIPOVITCH, G.
WEIDE, B., SCHITTEK, B., KLYSCZ, T., SCHÜZ, K., STARK, M., RASSNER, G., WILSKE, B. & GARBE, C. Morphoea is neither associated with features of *Borrelia burgdorferi* infection, nor is this agent detectable in lesional skin by polymerase chain reaction, 780
WEIGL, L. *see* MÖHRENSCHLAGER, M.
WEISMANN, K. *see* AZURDIA, R.M.
WENZEL, J., BAUER, R., BIEBER, T. & BOEHM, I. Presence of antinuclear antibodies in patients with lupus erythematosus is correlated with diminished T- helper cells, 1100
WESCHLER, J. *see* BOULOC, A.
WESSNER, D.B. *see* MÖHRENSCHLAGER, M.
WEST, N. *see* BATTA, K.
WESTERHOF, W. *see* VAN DEN WIJNGAARD, R.M.J.G.J.
WESTERHOFF, K., MCCARTHY, W.H. & MENZIES, S.W. Increase in the sensitivity for melanoma diagnosis by primary care physicians using skin surface microscopy, 1016
WESTON, M.J. *see* WILSON, J.R.
WHITAKER-MENEZES, D. *see* MONTEIRO, M.R.

WHITEHURST, C. *see* HALLER, J.C.
WHITEHURST, C. *see* MORTON, C.A.
WHITING, D. *see* VAN NESTE, D.
WHITTAM, L.R., CALONJE, E., ORCHARD, G., FRASER-ANDREWS, E.A., WOOLFORD, A. & RUSSELL-JONES, R. CD8-positive juvenile onset mycosis fungoides: an immunohistochemical and genotypic analysis of six cases, 1199
WIGGER-ALBERTI, W., KREBS, A. & ELSNER, P. Experimental irritant contact dermatitis due to cumulative epicutaneous exposure to sodium lauryl sulphate and toluene: single and concurrent application, 551
WILKINSON, B. *see* GILMOUR, T.K.
WILKINSON, J.D. *see* REED, J.R.
WILLEMZE, R. *see* ZOI-TOLI, O.
WILLERS, C. *see* HILLEN, U.
WILSKE, B. *see* WEIDE, B.
WILSON, J.R., WESTON, M.J., SINGH, P. & EARDLEY, I. Blue rubber bleb naevus sydrome: an unusual cause of urethral bleeding, 677
WILSON, N.J. *see* BATTA, K.
WINNEFELD, M., RICHARD, M.A., DRANCOURT, M. & GROB, J.J. Skin tolerance and effectiveness of two hand decontamination procedures in everyday hospital use, 546
WOHLRAB, J., ROHRBACH, D. & MARSCH, W.C. Keratolysis sulcata (pitted keratolysis): clinical symptoms with different histological correlates, 1348
WOJNAROWSKA, F. *see* FARRELL, A.M.
WOLFF, H. *see* VAN NESTE, D.
WOLKENSTEIN, P. *see* BÉNÉTON, N.
WOLKERSTORFER, A., VISSER, R.L., DE WAARD VAN DER SPEK, F.B., MULDER, P.G.H. & ORANJE, A.P. Efficacy and safety of wet-wrap dressings in children with severe atopic dermatitis: influence of corticosteroid dilution, 999
WOLLENBERG, A. *see* OPPEL, T.
WON, D-H. *see* CHOI, G-S.
WON, Y.H. *see* LEE, J-B.
WONG, C-K. *see* WANG, W-J.
WONG, D.A., BISHOP, G.A., LOWES, M.A., COOKE, B., BARNETSON, R.ST C. & HALLIDAY, G.M. Cytokine profiles in spontaneously regressing basal cell carcinomas, 91
WONG, S-N. *see* LI, S.P-S.
WONG, T-T. *see* SUN, C-C.
WOO.P-N., FINCH, T.M., HINDSON, C. & FOULDS, I.S. Nodular prurigo successfully treated with the pulsed dye laser, 215
WOOLFORD, A. *see* WHITTAM, L.R.
WOOLFORD, A.J. *see* SABROE, R.A.
WOOLLONS, A. *see* CHILD, F.J.
WOOTTON, R. *see* LOANE, M.A.
WORM, M., STERRY, W. & KOLDE, G. Mycophenolate mofetil is effective for maintenance therapy of hypocomplementaemic urticarial vasculitis, 1324
WORRET, W.I. *see* MÖHRENSCHLAGER, M.
WRAY, D. *see* GIBSON, J.
WU, J. *see* SUN, C-C.
WULFERINK, M. *see* RÖNNAU, A.C.
XIAO, C.Y. *see* CHENG, L.
YALÇIN, B. *see* LALE ATAHAN, I.
YALDIZ, M. *see* AKDENIZ, S.
YAMADA, H. *see* WAKUGAWA, M.
YAMADA, Y. *see* HASEGAWA, M.
YAMAGUCHI, M. *see* UEKI, H.
YAMAGUCHI, Y., CRANE, S., ZHOU, L., OCHOA, S.M. & FALANGA, V. Lack of co-ordinate expression of the $\alpha 1$(I) and $\alpha 1$(III) procollagen genes in fibroblast clonal cultures, 1149
YAMAKAGE, A. *see* OHTSUKA, T.
YAMAMOTO, S. *see* MORITA, E.
YAMAMOTO, Y. *see* MIYAGAWA, S.
YAMAMURA, Y. *see* MORITA, E.
YAMANE, K. *see* KUBO, M.
YAMANE, M. *see* YASUDA, H.
YAMANISHI, K. *see* KOSUGE, H.
YAMASAKI, F. *see* UEKI, H.
YAMASHITA, T. *see* YONETA, A.
YAMAZAKI, S. *see* OHTSUKA, T.
YANCEY, K.B. *see* ROH, J.Y.
YANG, J.E., KIM, K.M., KANG, H., CHO, S.H. & PARK, Y.M. Multiple trichoepithelioma with secondary localized amyloidosis, 1343
YANG, J-M. *see* SONG, M-G.
YANO, K. *see* KAWAURA, K.
YANO, Y. *see* UENOTSUCHI, T.
YASUDA, H., KOBAYASHI, H., HASHIMOTO, T., ITOH, K., YAMANE, M. & NAKAMURA, J. Subcorneal pustular dermatosis type of IgA pemphigus: demonstration of autoantibodies to desmocollin-1 and clinical review, 144
YASUMOTO, S. *see* ITAKURA, E.
YASUNO, H. *see* NUMAJIRI, T.
YATES, R., SYED, S., TSANG, V. & HARPER, J.I. Haemangioma of the head and neck with subglottic involvement and atypical corarctation, 687
YAZAWA, N. *see* KUBO, M.
YEE, C. *see* ROH, J.Y.
YEGENOGLU, Y. *see* BAYKAL, C.
YILDIZ, F. *see* LALE ATAHAN, I.
YODA, N. *see* UEKI, H.
YONEMOTO, K. *see* AMO, Y.
YONETA, A., YAMASHITA, T., JIN, H-Y., IWASAWA, A., KONDO, S. & JIMBOW, K. Development of squamous cell carcinoma by two high-risk human papillomaviruses (HPVs), a novel HPV-67 and HPV-31 from bowenoid papulosis, 604
YOSHIKAWA, K. *see* MAEDA, T.
YOSHIMURA, E. *see* ISHIJI, T.
YOSHIOKA, A. *see* MIYAGAWA, S.
YOSHIOKA, A. *see* MIYAGAWA, S.
YOSIPOVITCH, G. *see* TAN, E.
YOSIPOVITCH, G., GOON, A., WEE, J., CHAN, Y.H. & GOH, C.L. The prevalence and clinical characteristics of pruritus among paitents with extensive psoriasis, 969
YOUNG, H.S. & COULSON, I.H. Linear IgA disease: successful treatment with cyclosporin, 204

YU, R.O. *see* MORRIS, S.D.
YÜCELTEN, D. *see* GÜRSES, L.
YÜCELTEN, D. *see* RATIP, S.
ZANOTTO-VALENTINO, M.C. *see* MICHELETTI, L.
ZENG, H. *see* BISSONNETTE, R.
ZHANG, S.Z. *see* CHENG, L.
ZHOU, L. *see* YAMAGUCHI, Y.
ZHOU, L-J. & ONO, I. Stimulatory effects of dibutyryl cyclic adenosine monophosphate on cytokine production by keratinocytes and fibroblasts, 506
ZIEM, P.E. *see* BLUME-PEYTAVI, U.
ZILJSTRA, E.E., KHALIL, E.A.G., KAGER, P.A. & EL-HASSAN, A.M. Post-kala-azar dermal leishmaniasis in the Sudan: clinical presentation and differential diagnosis, 136
ZILLIKINS, D., ISHIKO, A., JONKMAN, M.F., CHIMANOVITCH, I., SHIMIZU, H., HASHIMOTO, T. & BRÖCKER, E-B. Autoantibodies in antip200 pemphigoid stain skin lacking laminin 5 and type VII collagen, 1043
ZIVNY, J. *see* CIBULA, D.
ZOI-TOLI, O., VERMEER, M.H., DE VRIES, E., VAN BEEK, P., MEIJER, C.J.L.M. & WILLEMZE, R. Expression of Fas and Fas-ligand in primary cutaneous T-cell lymphoma (CTCL): association between lack of Fas expression and aggressive types of CTCL, 313
ZORLUDEMIR, S. *see* PAYDAS, S.
ZOUBOULIS, CH.C. *see* ALMOND-ROESLER, B.
ZOUBOULIS, CH.C., DERUMEAUX, L., DECROIX, J., MACIEJEWSKA-UDZIELA, B., CAMBAZARDS, F. & STUHLER, A. A multicentre, single-blind, randomized comparism of a fixed clindamycin phospate/tretinoin gel formulation (Velac®) applied once daily and a clindamycin lotion formulation (Dalcin T®) applied twice daily in the topical treatment of acne vulgaris, 498
ZUDAIRE, M.I. *see* LASSO, J.M.
ZUO, W.Q. *see* CHENG, L.

## Subject

A431 cultured cells, major tissue antigens of autoimmune bullous diseases in extract (Concise communication) 821
abscess, subungual, associated with docetaxel therapy (Correspondence) 462
acanthoma, giant clear cell (Correspondence) 1114
acanthosis nigricans with vitiligo and insulin resistance (Correspondence) 899
*N*-acetyl sphingosine *see* ceramide 2
acitretin, conversion to etretinate during alcohol intake 1164
acne
comparison of clindamycin phosphate/tretinoin gel and clindamycin lotion 498
role of androgens in determining severity in women 399
acne keloidalis following organ transplantation (Correspondence) 465
actinic damage with squamous cell carcinoma in vitiligo (Correspondence) 219
actinic reticuloid syndrome, hydroxyurea therapy (Correspondence) 1340
actinomycetoma, head (Case report) 192
acute neutrophilic dermatosis associated with myelodysplastic syndrome (Correspondence) 1322
adrenaline, accidental digital injection (Correspondence) 1359
age and skin disorders 815
albinism 16
alopecia, androgenetic, effect of finasteride on anagen hair 804
alopecia areata, topical photodynamic therapy and hair regrowth (Concise communication) 1032
alternariosis
cutaneous and ungual, following kidney transplant (Correspondence) 910
terbinafine therapy (Correspondence) 1115
amifostine, Stevens–Johnson syndrome: toxic epidermal necrolysis possibly induced by (Case report) 1072
5-aminolaevulinic acid, topical application, influence of vehicle on porphyrin synthesis 564
amyloidosis
anosacral cutaneous 1266
secondary localized with multiple trichoepithelioma (Correspondence) 1343
anagen, short 612
anaphylaxis
food-dependent exercise-induced (Case report) 1059
to polyvinylpyrrolidone (Case report) 1055
androgens, role in determining severity of acne in women 399
anetoderma, secondary, with multiple cutaneous immunocytoma (Case report) 165
angioblastoma with hyperhidrosis (Correspondence) 223
angiolymphoid hyperplasia with eosinophilia, laser therapy (Correspondence) 214
angio-oedema
neonatal, following intrauterine parvovirus B19 infection (Case report) 428
recurrent of the face, in cutaneous angiosarcoma (Correspondence) 1346
angiosarcoma, cutaneous, presentation as recurrent angio-oedema of the face (Correspondence) 1346
angiotropic lymphoma (Case report) 162
anogenital carcinoma, female 1217
antineutrophil cytoplasmic antibodies, IgA, in cutaneous vasculitis 99
antinuclear antibodies in SLE (Correspondence) 1100
aphthous ulcers, drug-induced 1138, 1261
aplasia cutis congenita with epidermolysis bullosa simplex and congenital pyloric atresia (Correspondence) 1342
apoptosis, expression and modulation of regulatory molecules in human melanocytes 573
arteriovenous haemangioma, associated with port-wine stain, granuloma pyogenicum arizing in (Correspondence) 669
arteriovenous malformation, digital (Correspondence) 462
arthritis, psoriatic, bilateral upper limb lymphoedema associated (Case report) 1297
atopic dermatitis
CLA+type 1 and CLA+type 2 cytokine-producing cells in 373
effect of house dust mite avoidance measures in children 379
efficacy of borage oil (Correspondence) 200
(Correspondence) 201
epidermal dendritic cell phenotyping and differentiation between extrinsic and intrinsic forms 1193
excess in East Germany 992
mycophenolate therapy 385 (Correspondence) 1324
staphylococcal septicaemia complicating treatment with mycophenolate (Correspondence) 202
*Staphylococcus aureus* skin colonization in infants (Abstract) 694
wet-wrap dressings 999
autoimmune haemolytic anaemia with complement deficiency and pyoderma gangrenosum (Case report) 154
autosomal recessive hypohidrotic ectodermal dysplasia, genetics (Abstract) 693

B16 melanoma cells, inhibition of growth by cidofovir 741
bacillary angiomatosis on a region of burned skin 609
balanitis, verrucous carcinoma in (Case report) 183
basal cell carcinoma
cytokine profiles in spontaneous regression 91
photodynamic therapy 1270
basic fibroblast growth factor expression during wound healing of rat skin 720
basiliximab, in severe generalized pustular psoriasis (Correspondence) 1121



© 2000 British Association of Dermatologists

Bateman, Thomas 9
bee-sting, palmar epidermoid cyst following (Correspondence) 469
bicycle rider, nodular lesions in sacrococcygeal area (Correspondence) 1124
bladder cancer, dermatomyositis associated (Correspondence) 671
blue rubber bleb naevus syndrome, urethral bleeding in (Correspondence) 677
body mass index and skin disorders 815
bone marrow transplantation, fulminant molluscum contagiosum and leukaemia cutis following (Correspondence) 1097
bone morphogenetic protein-2 expression in pilomatricoma 754
borage oil, efficacy in atopic dermatitis (Correspondence) 200 (Correspondence) 201
*Borrelia burgdorferi* infection and morphoea 780
botulinum toxin injection
in frontal hyperhidrosis (Concise communication) 824
HHV-8-positive facial angiosarcoma at site (Correspondence) 660
Bowen's disease
CD1a+, CD3+, CD4+, CD8+ and CD68+ and cutaneous lymphocyte-associated antigen positive cells 1211
comparison of curettage with cryotherapy 759
comparison of red and green light in photodynamic therapy 767
and onychopapilloma of the nail bed 132
therapeutic trials 699
BP180 autoantibodies in bullous and cicatricial pemphigoid and linear IgA disease 349
*British Journal of Dermatology*, history in 30
bronchiolitis obliterans, cyclophosphamide therapy (Correspondence) 453
bronchogenic cyst, cutaneous (Correspondence) 1353
Brooke, H.A.G. 26
bullous pemphigoid
eotaxin and IL-5 in blister fluid 112
frequency analysis of autoreactive T-helper cells (Concise communication) 1279
IL-8, CD4 and CD8 in blister fluid 1235
with subcorneal pustular dermatosis, mizoribine therapy (Correspondence) 1328
bullous skin disease, paraneoplastic, breakdown in tolerance to multiple epidermal antigens (Case report) 149
burn scar ulcer with eccrine syringofibroadenoma 591
burns, bacillary angiomatosis in region of 609
buserelin acetate, intranasal, rosela-like eruption induced by (Correspondence) 658

calciphylaxis, aetiological role of chemotherapy (Case report) 1087
calcipotriol, as combination therapy with narrowband UVB, in severe psoriasis (Concise communication) 1275
carcinoembryonic antigen, antigen expression in nail bed keratinocytes 79
cavernous haemangiomatosis, unilateral dermatomal (Case report) 888
CD4, in bullous pemphigoid blister fluid 1235
CD8, in bullous pemphigoid blister fluid 1235
CD56, and terminal deoxynucleotidyl transferase+cutaneous lymphoblastic lymphoma (Correspondence) 666
CD95-ligand *see* Fas-ligand cefotaxime, photodistributed telangiectasia following (Correspondence) 674
cellulitis, *Paecilomyces marquandii*, following kidney transplant (Correspondence) 647
ceramide 2
apoptosis induced by in squamous cell carcinoma cell line 1154
association with reduced Bcl-2 levels and with apoptosis in cultured human keratinocytes 491
cervical sympathectomy, resolution of palmar eczema and hyperhidrosis associated with Horner's syndrome following (Correspondence) 653
chemoimmunotherapy of melanoma erysipeloides (Correspondence) 904
chemotherapy
resolution of psoriatic skin lesions following (Correspondence) 1326
role in aetiology of calciphylaxis (Case report) 1087
*Cheyletiella* dermatitis in humans, dogs and cats (Correspondence) 1110
chloracne, punctate keratoderma-like lesions associated (Case report) 1067
chlorambucil therapy in erythrodermic cutaneous T-cell lymphoma 127
cholestatic jaundice associated with childhood pustular psoriasis (Case report) 1292
chronic actinic dermatitis, hydroxyurea therapy (Correspondence) 1340
chronic granulomatous skin disease associated with HLA class I expression deficiency (Correspondence) 659
chronic infection and lymphocytoma cutis (Correspondence) 909
chronic lymphocytic leukaemia
association with bullous pemphigoid and eosinophilic spongiosis (Case report) 421
eruptive multiple sporadic cutaneous piloleiomyomas in (Correspondence) 907
and mycosis fungoides (Case report) 439
chronic myeloid leukaemia, fulminant molluscum contagiosum and leukaemia cutis following bone marrow transplantation (Correspondence) 1097
cidofovir, effect on growth of B16 melanoma cells *in vivo* 741
cilium, cutaneous entrapment after shedding (Correspondence) 468
clindamycin, comparison of clindamycin phosphate/tretinoin gel and clindamycin lotion in acne vulgaris 498
codeine-induced scarlatiniform pruritic exanthemata (Correspondence) 663
collagen type XVII, recognition of 120-kDa soluble ectodomain by autoantibodies in pemphigoid and linear IgA dermatosis 104

collagenoma with pseudohypoparathyroidism (Correspondence) 1122
colorectal cancer, hereditary non-polyposis, association with disseminated superficial porokeratosis (Case report) 851
complement deficiency with pyoderma gangrenosum and autoimmune haemolytic anaemia (Case report) 154
congenital pyloric atresia with aplasia cutis congenita and epidermolysis bullosa simplex (Correspondence) 1342
*Cordylobia anthropophaga*, furuncular myiasis due to (Correspondence) 912
CREST syndrome with systemic sclerosis, TGF-β3 expression in calcinosis (Correspondence) 1098
cryoglobulinaemia with hepatitis C virus infection, atypical skin lesions in cocaine-consuming patient (Correspondence) 1330
cryosurgery, solar lentigines (Correspondence) 216
cryotherapy, comparison with curettage in Bowen's disease 759
cryptococcal cutaneous infection associated with Sézary syndrome 632
curettage, comparison with cryotherapy in Bowen's disease 759
cutaneous B-cell lymphoma
  detection of EBV, HHV-7 and HHV-8 genomes 320
  rituximab therapy (Case report) 157
cutaneous horn with trichilemmal carcinoma (Correspondence) 646
cutaneous lymphoblastic lymphoma, terminal deoxynucleotidyl transferase+, and CD56 (Correspondence) 666
cutaneous T-cell lymphoma
  detection of EBV, HHV-7 and HHV-8 genomes 320
  erythrodermic
    leucoderma associated with flares (Case report) 832
    treatment with chlorambucil and fluorcortolone 127
  expression of Fas (APO - 1/CD95) on peripheral blood CD4+T cells 1205
  expression of Fas and Fas-ligand 313
  extracorporeal photochemotherapy (Correspondence) 894
cyclin expression and cell turnover in psoriatic skin lesions before and after cyclosporin treatment 950
cyclophosphamide in bronchiolitis obliterans (Correspondence) 453
cyclosporin
  in chronic idiopathic urticaria 365
  cyclin expression and cell turnover in psoriatic skin lesions before and after treatment 950
  in linear IgA disease (Correspondence) 204
  in psoriasis (Concise communication) 405
    cryptococcal meningitis during (Correspondence) 1327
cytokines
  apoptosis in hair bulb keratinocytes induced by (Concise communication) 1036
  stimulatory effects of dibutyryl cAMP on production by keratinocytes and fibroblasts 506

dapsone, response of erythema elevatum diutinum to (Case report) 415
deafness, sensorineural, and palmoplantar keratoderma, genetics (Case report) 876
decontamination procedures, hand, skin tolerance and effectiveness 546
Degos' disease, penile ulceration in (Correspondence) 1318
dendrocytes, dermal, cytological alterations *in vitro* 84
Depo-Provera®, intramuscular, acute necrotic skin reaction to (Correspondence) 1356
dermal dendrocytes, cytological alterations *in vitro* 84
dermatitis artefacta, recurrent bullous (Correspondence) 229
dermatitis herpetiformis
  concurrent with variegate porphyria (Correspondence) 654
  expression of IL-13, eotaxin and TNF-α 974
dermatofibroma
  giant combined (Correspondence) 655
  multiple eruptive, following antiretroviral therapy (Correspondence) 1336
dermatology and psychiatry 920, 983
dermatomyositis
  associated with bladder cancer (Correspondence) 671
  clarithromycin-resistant *Mycobacterium chelonae* infection (Correspondence) 1345
  serum levels of VCAM-1 and E-selectin 392
dermographism in mastocytosis (Correspondence) 1109
desmogleins
  autoantibodies in pemphigus vulgaris 343
  reactivity with IgG subclasses in pemphigus vulgaris 337
dexamethasone in T-cell lymphoma (Case report) 408
dibutyryl cAMP, stimulatory effects on cytokine production by keratinocytes and fibroblasts 506
digital arteriovenous malformation (Correspondence) 462
digital fibromatosis, infantile-type in an adult (Correspondence) 1107
digital necrosis associated with factor V Leiden mutation (Case report) 1302
1,25-dihydroxyvitamin $D_3$, potency in inhibition of cultured human keratinocyte proliferation 72
1α,25-dihydroxyvitamin $D_3$, dermal fibroblasts as therapeutic targets in topical application 1140
dilated cardiomyopathy and dystrophic epidermolysis bullosa (Abstract) 693
dioxin intoxication (Case report) 1067
discoid lupus erythematosus, laser resurfacing of secondary scarring (Correspondence) 1101
disseminated superficial porokeratosis associated with hereditary non-polyposis colorectal cancer (Case report) 851
divided naevus, penis (Correspondence) 1126
docetaxel
  efficacy in Kaposi's sarcoma (Correspondence) 1357
  subungual abscess associated with therapy (Correspondence) 462
dynein colocalization with melanosomes in melanocytes 298
dystrophic epidermolysis bullosa, and dilated cardiomyopathy (Abstract) 693

E-selectin serum levels in dermatomyositis and polymyositis 392

eccrine ductal mucinosis in HIV infection with scabies (Correspondence) 1335
eccrine syringofibroadenoma in patient with burn scar ulcer 591
elafin induction in epidermis in skin disorders with dermal neutrophilic infiltration 728
endothelin-1, effects of UVA radiation and TGF-1 on production in human dermal fibroblasts 539
eotaxin
in bullous pemphigoid blister fluid 112
expression in dermatitis herpetiformis 974
epidermodysplasia verruciformis, HPV in 1005
epidermoid cyst, palmar, following bee-sting (Correspondence) 469
epidermolysis bullosa, dystrophic, and dilated cardiomyopathy (Abstract) 693
epidermolysis bullosa simplex
with congenital pyloric atresia and aplasia cutis congenita (Correspondence) 1342
recessive, keratin 14 knockout mutation and disease severity 621
Epstein–Barr virus
detection of genome in primary cutaneous B-cell and T-cell lymphoma 320
facial erythema and sicca syndrome as sign of chronic active infection (Correspondence) 1351
eruptive multiple sporadic cutaneous piloleiomyoma in chronic lymphocytic leukaemia (Correspondence) 907
eruptive pseudoangiomatosis (Case report) 435
erythema elevatum diutinum, leucocyte alterations and response to dapsone (Case report) 415
erythermalgia, secondary, treatment with lumbar sympathetic ganglion block (Case report) 868
erythroderma associated with St John's wort (Correspondence) 1127
erythrokeratoderma, classification 1133
erythrokeratoderma variabilis without mutations in connexin 31 (Case report) 1283
erythronychia, longitudinal, with distal subungual keratosis 132
erythropoietic protoporphyria, delayed onset of cutaneous symptoms (Correspondence) 221
eyelids, cutaneous pseudolymphoma (Case report) 411

face
diffuse sclerosis associated with generalized hair follicle hamartoma (Correspondence) 1103
erythema and sicca syndrome as sign of chronic active EBV infection (Correspondence) 1351
post-traumatic pilonidal sinus (Correspondence) 1353
recurrent angio-oedema in cutaneous angiosarcoma (Correspondence) 1346
factor V Leiden mutation, digital necrosis associated (Case report) 1302
factor XII deficiency and livedo with ulceration (Correspondence) 897
familial retinoblastoma associated with multiple lipomata, meningioma and naevus sebaceus (Correspondence) 211
Fas expression
in melanoma 307
on peripheral blood CD4+T cells in cutaneous T-cell lymphoma 1205
in primary cutaneous T-cell lymphoma 313
Fas-ligand expression
in epidermal lymphocytes (Correspondence) 892
in melanoma 307
in primary cutaneous T-cell lymphoma 313
fibroblast-embedded collagen gel, effect of sphingosylphosphorylcholine on contraction 66
fibroblasts
adaptive antioxidant defence (Correspondence) 662
effects of UVA radiation and TGF-1 on production of vascular endothelial growth factor and endothelin-1539
stimulatory effects of dibutyryl cAMP on cytokine production 506
fibroma, multiple acral, with familial retinoblastoma (Case report) 856
fibroxanthoma, atypical of skin and lower lip, in xeroderma pigmentosum 618
finasteride, effect on anagen hair in androgenetic alopecia 804
fludarabine in T-cell lymphoma (Case report) 408
fluorcortolone therapy in erythrodermic cutaneous T-cell lymphoma 127
follicular sebaceous casts, nasolabial, following isotretinoin therapy (Correspondence) 228
folliculitis decalvens capillitii in identical twins (Case report) 195
furuncular myiasis due to *Cordylobia anthropophaga* (Correspondence) 912

gallstone pancreatitis, panniculitis as complication (Correspondence) 1332
genetics, history 41
Germany, excess of atopic dermatitis in East Germany 992
giant clear cell acanthoma (Correspondence) 1114
giardiasis, recurrent, association with Wells' syndrome (Case report) 425
graft-vs.-host disease mimicking cicatricial pemphigoid (Correspondence) 209
granular cell tumour, multiple, in a teenager (Correspondence) 906
granular lymphocytic leukaemia, cutaneous thrombotic and necrotizing microangiopathy (Correspondence) 445
granuloma pyogenicum in arteriovenous haemangioma associated with port-wine stain (Correspondence) 669
Grover's disease, genetics (Correspondence) 658
Guillain–Barré syndrome with SLE and anti-Ro/SSA and anti-La/SSB autoantibodies (Case report) 1050

haemangioma of head and neck (Correspondence) 687
haemangiosarcoma, serum levels of VEGF (Correspondence) 1118
hair follicle hamartoma associated with diffuse sclerosis of the face (Correspondence) 1103
Hallam, R. 23

hamartoma, generalized hair follicle, association with diffuse sclerosis of the face (Correspondence) 1103
hand decontamination procedures, skin tolerance and effectiveness 546
head and neck haemangioma (Correspondence) 687
hemithoracic atrophy with partial lipodystrophy (Correspondence) 665
hepatitis B associated with bullous Sweet's syndrome (Correspondence) 914
hepatitis C with cryoglobulinaemia, atypical skin lesions in cocaine-consuming patient (Correspondence) 1330
hepatocellular carcinoma
with lichen myxedematosus (Correspondence) 452
presentation as prurigo (Correspondence) 1331
herbal drugs, adverse effects in dermatology (Review) 923
hereditary non-polyposis colorectal cancer associated with disseminated superficial porokeratosis (Case report) 851
Hermansky–Pudlak syndrome with giant melanosomes, heterozygous HPS1 mutations 635
herpetic exanthems, photolocalization and exacerbation (Abstract) 695
hexafluoro-1,25-dihydroxyvitamin $D_3$ potency in inhibition of cultured human keratinocyte proliferation 72
histiocytoses 475
HIV infection
papulonecrotic tuberculide in (Correspondence) 232
piloleiomyoma in (Correspondence) 1338
with scabies, eccrine ductal mucinosis associated (Correspondence) 1335
and Wells' syndrome (Correspondence) 672
HIV protease inhibitors, multiple circumscribed subcutaneous lipomas associated with use (Correspondence) 1113
HLA class I expression deficiency associated with chronic granulomatous skin disease (Correspondence) 659
HLA-C and guttate psoriasis 1177
Hodgkin's disease presentating as severe pruritus (Abstract) 694
Horner's syndrome, palmar eczema and hyperhidrosis, resolution following cervical sympathectomy (Correspondence) 653
house dust mite avoidance measures, effects in children with atopic dermatitis 379
HPVs *see* human papillomaviruses human herpesvirus 6, in pityriasis rosea 795
human herpesvirus 7
detection of genome in primary cutaneous B-cell and T-cell lymphoma 320
in pityriasis rosea 795
human herpesvirus 8
antibodies against in non-venereal dermatological conditions 484
detection of genome in primary cutaneous B-cell and T-cell lymphoma 320
facial angiosarcoma at site of botulinum toxin injection (Correspondence) 660
infection among heterosexual partners of patients with Kaposi's sarcoma 1021
human papillomaviruses (HPVs)
in epidermodysplasia verruciformis 1005
and squamous cell carcinoma 604
in stucco keratosis (Case report) 846
Huriez syndrome, skin dendritic cell analysis (Case report) 1091
Hutchinson, J. 16
hyalohyphomycosis, cutaneous post-transplant, caused by *Paecilomyces lilacinus* (Case report) 873
hydroxyurea in chronic actinic dermatitis (Correspondence) 1340
hyperIgE syndrome, early cutaneous manifestations (Abstract) 694
hypereosinophilic syndrome
presentation as cutaneous necrotizing eosinophilic vasculitis and Raynaud's phenomenon complicated by digital gangrene 641
skin lesions as sole manifestation (Correspondence) 675
hyperhidrosis
with angioblastoma (Correspondence) 223
frontal, botulinum toxin therapy (Concise communication) 824
in Horner's syndrome, resolution following cervical sympathectomy (Correspondence) 653
hypohidrosis associated with urticaria (Case report) 1064
hypohidrotic ectodermal dysplasia, autosomal recessive, genetics (Abstract) 693
hypotrichosis
congenital 612
with macular dystrophy (Correspondence) 902
Marie Unna type, genetics 811

indinavir and leucocytoclastic vasculitis (Correspondence) 1112
IgA pemphigus, subcorneal pustular dermatosis type, autoantibodies to desmocollin-1 (Case report) 144
imiquimod
in lentigo maligna (Case report) 843
self-administration in treatment of warts and molluscum contagiosum 1026
in stucco keratosis (Case report) 846
immunocytoma, multiple cutaneous, with secondary anetoderma (Case report) 165
incontinentia pigmenti, late manifestations (Correspondence) 1102
inflammation, immunopharmacology 47
insulin resistance with acanthosis nigricans and vitiligo (Correspondence) 899
interleukins
IL-1, stimulation of elafin secretion 728
IL-5, in bullous pemphigoid blister fluid 112
IL-8, in bullous pemphigoid blister fluid 1235
IL-13, expression in dermatitis herpetiformis 974
IL-18, production by human keratinocytes 330
intravenous immunoglobulin therapy in chronic leucocytoclastic vasculitis (Correspondence) 447

iron overload in porphyria cutanea tarda (Correspondence) 1116
irritant contact dermatitis to sodium lauryl sulphate and toluene 551
isotretinoin
microdose (Correspondence) 205
nasolabial follicular sebaceous casts as complication of therapy (Correspondence) 228
use in young children (Abstract) 695
itraconazole in childhood tinea capitis 1011
ivermectin, use in controlling scabies outbreak in prison 520

jaundice, cholestatic, associated with childhood pustular psoriasis (Case report) 1292

Kaposi's sarcoma
efficacy of docetaxel (Correspondence) 1357
HHV-8 infection among heterosexual partners of patients with 1021
phenotypic characteristics of lesion-derived cells 557
keratin 14 knockout mutation and disease severity in recessive epidermolysis bullosa simplex 621
keratinocytes
cultured, retinoid-induced apoptosis 709
hair bulb, apoptosis induced by high dose proinflammatory cytokines (Concise communication) 1036
nail bed, expression of antigen of CEA 79
production of IL-18, 330
stimulatory effects of dibutyryl cAMP on cytokine production 506
keratolysis sulcata, symptoms and histology (Correspondence) 1348
keratosis, distal subungual, with longitudinal erythronychia 132
kidney transplantation
cutaneous and ungual alternariosis following (Correspondence) 910
*Paecilomyces lilacinus* hyalohyphomycosis following (Case report) 873
*Paecilomyces marquandii* cellulitis following (Correspondence) 647

lacquer chicken, acute generalized exanthematous pustulosis following ingestion (Correspondence) 230
Langerhans cell histiocytosis (Abstract) 695
S100-β serum protein as marker (Correspondence) 201
Langerhans cells, epidermal, mobilization (Correspondence) 893 (Correspondence) 894
laser therapy
angiolymphoid hyperplasia with eosinophilia (Correspondence) 214
impact on vascular lesions 356
nodular prurigo (Correspondence) 215
port-wine stains 241, 360
recurrence following 1230
resurfacing of secondary scarring in discoid lupus erythematosus (Correspondence) 1101
lasers for the dermatologist (Review) 244
leishmaniasis
postkala-azar dermal 136
visceral AIDS-related, cutaneous involvement (Case report) 1316
lentigo maligna, imiquimod therapy (Case report) 843
leucoderma associated with flares of erythrodermic cutaneous T-cell lymphoma (Case report) 832
leukaemia cutis
following bone marrow transplantation (Correspondence) 1097
and leukaemic vasculitis 773
liarozole in psoriasis 1170
lichen myxedematosus with hepatocellular carcinoma (Correspondence) 452
lichen planus
nails (Correspondence) 1117
oral, management (Correspondence) 201
vulval (Correspondence) 1349
lichen sclerosus
genital, association with morphoea or systemic sclerosis 598
penis, synchronous onset with vitiligo (Correspondence) 218
linear IgA
disease association with ulcerative colitis, remission following colectomy (Correspondence) 1341
BP180 autoantibodies 349
cyclosporin therapy (Correspondence) 204
recognition of 120-kDa soluble ectodomain of type XVII collagen by autoantibodies 104
lipoblastoma, multiple (Abstract) 694
lipoma
congenital infiltrating of the upper limb, in von Willebrand's disease (Case report) 180
multiple, associated with meningioma, naevus sebaceus and familial retinoblastoma (Correspondence) 211
multiple circumscribed subcutaneous, associated with use of HIV protease inhibitors (Correspondence) 1113
livedo reticularis following cholesterol embolization, simvastatin therapy (Correspondence) 1317
livedoid vasculopathy associated with protein C deficiency (Case report) 840
lumbar sympathetic ganglion block in secondary erythermalgia (Case report) 868
lung cancer associated with SLE (Correspondence) 210
Lyme borreliosis, downregulation of class II molecules on epidermal Langerhans cells 786
lymphangioma circumscriptum, penis, MRI (Correspondence) 467
lymphocytes
epidermal, CD95-ligand-expressing (Correspondence) 892
role in dermal wound healing 59
lymphocytoma cutis and chronic infection (Correspondence) 909
lymphoedema, bilateral upper limb, associated with psoriatic arthritis (Case report) 1297

McCune–Albright syndrome with neurofibromatosis (Case report) 1289
macular dystrophy with hypotrichosis (Correspondence) 902
Madelung's disease, peripheral neuropathy as first manifestation (Correspondence) 684
*Malassezia globosa* as causative agent in pityriasis versicolor 799
mastocytosis, dermographism in (Correspondence) 1109
melanocytes
colocalization of melanosomes with dynein 298
expression and modulation of apoptosis regulatory molecules 573
melanocytic naevi, detection of histological atypia 290
melanoma
acral cutaneous in caucasians 275
differentiation from common benign pigmented skin lesions by ultrasound 281
early manifestation as melanonychia (Case report) 431
Fas and Fas-ligand expression 307
and lymphoproliferative malignancy (Case report) 171
serological markers (Review) 256
serum S100 protein and disease progression 269
skin surface microscopy in diagnosis 1016
and trauma 749
melanoma erysipeloides, chemoimmunotherapy (Correspondence) 904
melanonychia as early manifestation of melanoma (Case report) 431
melanosomes, colocalization with dynein in melanocytes 298
Melkersson–Rosenthal syndrome in childhood (Case report) 860
meningioma associated with naevus sebaceus, familial retinoblastoma and multiple lipomata (Correspondence) 211
meningitis during cyclosporin therapy in psoriasis (Correspondence) 1327
Merkel cell carcinoma, transient complete remission by high-dose polychemotherapy and blood stem cell transplantation (Case report) 837
methotrexate
exacerbation of urticarial vasculitis induced by (Correspondence) 203
in psoriatic onycho-pachydermoperiostitis (Correspondence) 901
milium, papuloverrucous colloid (Case report) 884
mitoxantrone in T-cell lymphoma (Case report) 408
mizoribine in subcorneal pustular dermatosis with bullous pemphigoid (Correspondence) 1328
molluscum contagiosum
following bone marrow transplantation (Correspondence) 1097
self-administration of imiquimod 1026
morphoea
association with genital lichen sclerosus 598
and *B. burgdorferi* infection 780
dendritic cell population analysis 1183
localized, with xanthomatosis and primary biliary cirrhosis (Correspondence) 652
mucinosis, recurrent self-healing cutaneous (Correspondence) 650
mucinous carcinoma of the skin, recurrent, invasion to frontal skull base (Correspondence) 457
multicentric reticulohistiocytosis associated with Sjögren's syndrome (Correspondence) 649
multiple acral fibroma with familial retinoblastoma (Case report) 856
mycetoma of the forefoot, *Sporothrix schenckii* and *Nocardia asteroides* isolated from (Case report) 1311
*Mycobacterium chelonae* infection, clarithromycin-resistance in dermatomyositis (Correspondence) 1345
mycophenolate
in atopic dermatitis 385 (Correspondence) 1324
maintenance therapy in hypocomplementaemic urticarial vasculitis (Correspondence) 1324
in psoriasis (Concise communication) 405
staphylococcal septicaemia complicating treatment in atopic dermatitis (Correspondence) 202
mycosis fungoides
CD8+juvenile onset 1199
and chronic lymphocytic leukaemia (Case report) 439
myelodysplastic syndrome
associated with acute neutrophilic dermatosis (Correspondence) 1322
with CD56+ cutaneous aleukaemic granulocytic sarcoma 587
myiasis, furuncular, due to *Cordylobia anthropophaga* (Correspondence) 912

naevi, psoriasis sperimposed on, histological changes (Correspondence) 688
naevoid basal cell carcinoma syndrome and Turner's syndrome (Correspondence) 1105
naevus sebaceus associated with familial retinoblastoma, multiple lipomata and meningioma (Correspondence) 211
nail bed
keratinocyte expression of antigen of CEA 79
onychopapilloma and Bowen's disease 132
nails, lichen planus (Correspondence) 1117
natural killer/T-cell lymphoma, nasal, cutaneous relapse (Correspondence) 896
necrobiosis lipoidica
Köebnerizing ulcerated, management with topical PUVA (Correspondence) 668
PUVA therapy (Correspondence) 1333
neonate
angio-oedema following intrauterine parvovirus B19 infection (Case report) 428
congenital pyloric atresia with aplasia cutis congenita and epidermolysis bullosa simplex (Correspondence) 1342
nerve growth factor in psoriasis (Correspondence) 198 (Correspondence) 200
nettlerash 16
Nettleship, E. 16
neuroendocrine carcinoma, skin (Correspondence) 460
neurofibroma, solitary subungual (Correspondence) 1116

neurofibromatosis
with McCune–Albright syndrome (Case report) 1289
with malignant schwannoma (Case report) 1078
nicotinamide, effect on biosynthesis of ceramides and other stratum corneum lipids 524
*Nocardia asteroides*
in aetiology of head actinomycetoma (Case report) 192
in mycetoma of the forefoot (Case report) 1311
*Nocardia brasiliensis*, in aetiology of head actinomycetoma (Case report) 192
nodular prurigo, laser therapy (Correspondence) 215

octreotide in pretibial myxoedema (Case report) 1083
onychomycosis, oral terbinafine treatment (Correspondence) 682
onycho-pachydermoperiostitis, psoriatic, methotrexate treatment (Correspondence) 901
onychopapilloma of the nail bed and Bowen's disease 132
oral contraception and skin disorders 815
organ transplantation
acne keloidalis following (Correspondence) 465
skin cancer following 513
*see also specific organs*
orofacial granulomatosis, HLA typing (Correspondence) 1119
Osler, W. 1

*Paecilomyces lilacinus* cutaneous hyalohyphomycosis following kidney transplant (Case report) 873
*Paecilomyces marquandii* cellulitis following kidney transplant (Correspondence) 647
palmoplantar keratoderma
PUVA (Correspondence) 464
and sensorineural deafness, genetics (Case report) 876
striate (Abstract) 693
palms
eczema in Horner's syndrome, resolution following cervical sympathectomy (Correspondence) 653
epidermoid cyst following bee-sting (Correspondence) 469
warty linear streaks following incontinentia pigmenti (Correspondence) 1102
pancreatitis, gallstone, panniculitis as complication (Correspondence) 1332
panniculitis, as complication in gallstone pancreatitis (Correspondence) 1332
papuloverrucous colloid milium (Case report) 884
paracoccidioidomycosis, terbinafine therapy (Case report) 188
paraneoplastic bullous skin disease, breakdown in tolerance to multiple epidermal antigens (Case report) 149
partial lipodystrophy with hemithoracic atrophy (Correspondence) 665
parvovirus B19, intrauterine infection, neonatal angio-oedema following (Case report) 428
patch testing, effects 582
pemphigoid
anti-p200, effects of autoantibodies (Case report) 1043
bullous
association with eosinophilic spongiosis and chronic lymphocytic leukaemia (Case report) 421
BP180 autoantibodies 349
cicatricial
BP180 autoantibodies 349
mimicked by graft-vs.-host disease (Correspondence) 209
mucous membrane, clinical trial of sulphamethoxypyridazine 117
recognition of 120-kDa soluble ectodomain of type XVII collagen by autoantibodies 104
pemphigus foliaceus associated with silicosis (Correspondence) 456
pemphigus vulgaris
autoimmunity 237
desmoglein autoantibodies 343
distribution of IgG subclasses and their reactivity with desmogleins 337
exacerbation in pregnancy (Correspondence) 455
frequency analysis of autoreactive T-helper cells (Concise communication) 1279
penis
divided naevus (Correspondence) 1126
lichen sclerosus, synchronous onset with vitiligo (Correspondence) 218
lymphangioma circumscriptum, MRI (Correspondence) 467
ulceration in Degos' disease (Correspondence) 1318
periflexural exanthem, asymmetric (Correspondence) 224
periorbital heliotrope oedema as first manifestation of SLE in primigravida (Correspondence) 679
peripheral neuropathy as first manifestation of Madelung's disease (Correspondence) 684
phosphorylase kinase, drug-induced suppression of activity, correlation with resolution of psoriasis 937
photo safaris in South Africa, and ticks (Correspondence) 1109
photoadaptation to UV radiation *in vivo* 477
photochemotherapy, extracorporeal, in cutaneous T-cell lymphoma (Correspondence) 894
photodynamic therapy
alopecia areata (Concise communication) 1032
basal cell carcinoma 1270
Bowen's disease, comparison of red and green light 767
and vulval intraepithelial neoplasia (Concise communication) 1040
photosensitivity dermatitis, hydroxyurea therapy (Correspondence) 1340
phototesting in xeroderma pigmentosum 595
phototherapy, seborrhoeic dermatitis 964
piloleiomyoma
eruptive multiple sporadic cutaneous, in chronic lymphocytic leukaemia (Correspondence) 907
in HIV infection (Correspondence) 1338
pilomatricoma, expression of bone morphogenetic protein-2 in 754

pilonidal sinus, post-traumatic facial (Correspondence) 1353
pityriasis rosea, epidemiology of HHV-6 and HHV-7 795
pityriasis versicolor, *Malassezia globosa* as causative agent 799
plasma exchange in exacerbation of pemphigus vulgaris in pregnancy (Correspondence) 455
plasminogen activation in venous leg ulcers 930
*Pneumocystis carinii* pneumonia following cyclosporin therapy in pyoderma gangrenosum (Correspondence) 683
polymorphic light eruption
prednisolone therapy (Concise communication) 828
polymyositis, serum levels of VCAM-1 and E-selectin 392
polyvinylpyrrolidone, anaphylaxis to (Case report) 1055
porphyria, variegate, concurrent with dermatitis herpetiformis (Correspondence) 654
porphyria cutanea tarda
childhood onset (Abstract) 693
iron overload (Correspondence) 1116
porphyrins, influence of vehicle on synthesis following topical application of 5-aminolaevulinic acid 564
port-wine stain
arteriovenous haemangioma associated, granuloma pyogenicum arising in (Correspondence) 669
laser therapy 241, 360
recurrence following 1230
prednisolone efficacy in polymorphic light eruption (Concise communication) 828
pregnancy
dermatoses, sex ratio of offspring (Correspondence) 1345
exacerbation of pemphigus vulgaris (Correspondence) 455
pretibial myxoedema, octreotide therapy (Case report) 1083
primary biliary cirrhosis with localized morphoea and xanthomatosis (Correspondence) 652
procollagen, lack of co-ordinate gene expression in fibroblast clonal cultures 1149
progressive nodular histiocytosis (Correspondence) 678
systemic disorders accompanying 628
prolactinoma with psoriasis (Case report) 864
protein C deficiency, livedoid vasculopathy associated (Case report) 840
pruritus
dermatomal, precipitated by excessive black tea drinking (Correspondence) 1355
Hodgkin's disease presenting with (Abstract) 694
in psoriasis 969
pseudoangiomatosis, eruptive (Case report) 435
pseudohypoparathyroidism with collagenoma (Correspondence) 1122
pseudolymphoma, cutaneous (Case report) 411
psoriasis
A5.1 allele of MHC class I chain-related gene A associated with in China 324
calcipotriol vs. tazarotene as combination therapy with narrowband UVB (Concise communication) 1275
change of treatment from cyclosporin to mycophenolate (Concise communication) 405
childhood pustular, renal failure and cholestatic jaundice associated (Case report) 1292
cyclin expression and cell turnover in skin lesions before and after cyclosporin treatment 950
cyclosporin therapy, cryptococcal meningitis during (Correspondence) 1327
gene identification 238
guttate, and HLA-C 1177
liarozole therapy 1170
nerve growth factor and its receptor system (Correspondence) 198 (Correspondence) 200
with prolactinoma (Case report) 864
pruritus in 969
resolution
after chemotherapy with gemcitabine and vinorelbine (Correspondence) 1326
correlation with drug-induced suppression of phosphorylase kinase activity 937
severe generalized pustular, basiliximab therapy (Correspondence) 1121
superimposed on naevi, histological changes (Correspondence) 688
UVA sunbed treatment 919, 957
psoriatic arthritis, bilateral upper limb lymphoedema associated (Case report) 1297
psychiatric morbidity in dermatological outpatients 920, 983
pustulosis
acute generalized exanthematous, following ingestion of lacquer chicken (Correspondence) 230
amicrobial, zinc supplement therapy (Case report) 1306
PUVA
in congenital palmoplantar keratoderma (Correspondence) 464
in Köebnerizing ulcerated necrobiosis lipoidica (Correspondence) 668
necrobiosis lipoidica (Correspondence) 1333
*Pyemotes* dermatitis caused by indirect contact with husk rice (Correspondence) 680
pyoderma gangrenosum
with autoimmune haemolytic anaemia and complement deficiency (Case report) 154
*Pneumocystis carinii* pneumonia following cyclosporin therapy (Correspondence) 683

quality of life and skin disease in primary care 979

renal failure associated with childhood pustular psoriasis (Case report) 1292
retinoblastoma, familial, with multiple acral fibroma (Case report) 856
retinoid-induced apoptosis in cultured keratinocytes 709
rituximab in cutaneous B-cell lymphoma (Case report) 157
rosela-like eruption, intranasal buserelin acetate-induced (Correspondence) 658

S100 serum levels and disease progression in melanoma 269
S100-β serum protein as marker in Langerhans cell histiocytosis (Correspondence) 201
sacrococcygeal area, nodular lesions in bicycle rider (Correspondence) 1124

St John's wort, erythroderma associated (Correspondence) 1127
sarcoidosis in childhood (Abstract) 696
sarcoma, CD56+ cutaneous aleukaemic granulocytic, with myelodysplastic syndrome 587
scabies
in HIV infection, eccrine ductal mucinosis associated (Correspondence) 1335
perceptions of incidence and efficacy of treatment in UK hospitals (Correspondence) 1337
use of ivermectin in controlling outbreak in prison 520
schwannoma, malignant, with neurofibromatosis (Case report) 1078
scleredema of Buschke associated with Waldenström's macroglobulinaemia (Correspondence) 450
seborrhoeic dermatitis, phototherapy 964
sensorineural deafness and palmoplantar keratoderma, genetics (Case report) 876
septicaemia, staphylococcal, complicating treatment of atopic dermatitis with mycophenolate (Correspondence) 202
Sézary syndrome, cutaneous *Cryptococcus* infection associated 632
sicca syndrome and facial erythema as sign of chronic active Epstein–Barr virus infection (Correspondence) 1351
silicosis with pemphigus foliaceus (Correspondence) 456
simvastatin in livedo reticularis following cholesterol embolization (Correspondence) 1317
Sjögren's syndrome with multicentric reticulohistiocytosis (Correspondence) 649
skin cancer
following organ transplantation 513
non-melanoma, changing trends in South Wales 1224
primary prevention initiatives (Review) 701
skin disease in primary care and quality of life 979
skin disorders, epidemiology 815
small proline rich protein expression in neoplastic and inflammatory skin diseases 733
smoking and skin disorders 815
social class and skin disorders 815
sodium lauryl sulphate, irritant contact dermatitis to 551
solar lentigines, cryosurgery (Correspondence) 216
soles, warty linear streaks following incontinentia pigmenti (Correspondence) 1102
sphingosylphosphorylcholine, effect on fibroblast-embedded collagen gel 66
spongiosis, eosinophilic, associated with bullous pemphigoid and chronic lymphocytic leukaemia (Case report) 421
*Sporothrix schenckii* in mycetoma of the forefoot (Case report) 1311
squamous cell carcinoma
with actinic damage in vitiligo (Correspondence) 219
cell line, apoptosis induced by C2-ceramide 1154
development by HPVs 604
*Staphylococcus aureus*, skin colonization in infants with atopic dermatitis (Abstract) 694
Stevens–Johnson syndrome, amifostine-induced (Case report) 1072
stingray envenomization, cutaneous cellular infiltrate (Case report) 1074
stoma patients, spectrum of skin disorders 1248
stratum corneum, effect of nicotinamide on biosynthesis of ceramides and other lipids 524
stucco keratosis, HPV detection and response to imiquimod (Case report) 846
subcorneal pustular dermatosis with bullous pemphigoid, mizoribine therapy (Correspondence) 1328
subungual abscess associated with docetaxel therapy (Correspondence) 462
Sudan, postkala-azar dermal leishmaniasis 136
sulphamethoxypyridazine, clinical trial in mucous membrane pemphigoid 117
Sweet's syndrome
bullous, associated with hepatitis B infection (Correspondence) 914
presentation with lesions resembling eruptive xanthoma (Correspondence) 449
systemic lupus erythematosus
antinuclear antibodies and T-helper cells (Correspondence) 1100
association with lung cancer (Correspondence) 210
with Guillain–Barré syndrome and anti-Ro/SSA and anti-La/SSB autoantibodies (Case report) 1050
periorbital heliotrope oedema as initial manifestation in primigravida (Correspondence) 679
systemic sclerosis
associated with genital lichen sclerosus 598
with CREST syndrome, TGF-β3 expression in calcinosis (Correspondence) 1098

T-cell lymphoma
aggressive subcutaneous panniculitis-like, remission with fludarabine, mitoxantrone and dexamethasone (Case report) 408
nasal, cutaneous relapse (Correspondence) 896
T-helper cells
frequency analysis in pemphigus vulgaris and bullous pemphigoid (Concise communication) 1279
in SLE (Correspondence) 1100
tazarotene in combination with narrowband UVB in severe psoriasis (Concise communication) 1275
tea drinking and dermatomal pruritus (Correspondence) 1355
telangiectasia, photodistributed, following cefotaxime administration (Correspondence) 674
teledermatology, comparison of real-time and store-and-forward 1241
terbinafine
in cutaneous alternariosis (Correspondence) 1115
in paracoccidioidomycosis (Case report) 188
in toenail onychomycosis (Correspondence) 682
ticks and photo safaris in South Africa (Correspondence) 1109
tinea capitis
childhood itraconazole therapy 1011
management guidelines 53

tinea corporis due to *Trichophyton rubrum* (Abstract) 695
toluene, irritant contact dermatitis to 551
toxic epidermal necrolysis, amifostine-induced (Case report) 1072
transforming growth factors
effects on production of vascular endothelial growth factor and endothelin-1 in human dermal fibroblasts 539
expression in calcinosis in a patient with systemic sclerosis and CREST syndrome (Correspondence) 1098
trauma and melanoma 749
trichilemmal carcinoma with cutaneous horn (Correspondence) 646
trichoepithelioma, multiple, with secondary localized amyloidosis (Correspondence) 1343
*Trichophyton rubrum*, tinea corporis due to (Abstract) 695
tuberculide, papulonecrotic, in HIV infection (Correspondence) 232
tuberculosis, multilocular inoculation of the skin (Correspondence) 226
tumour necrosis factor-α
expression in dermatitis herpetiformis 974
stimulation of elafin secretion 728
Turner's syndrome and naevoid basal cell carcinoma syndrome (Correspondence) 1105

ulcerative colitis, remission of associated linear IgA disease following colectomy (Correspondence) 1341
ulcerative stomatitis, chronic (Correspondence) 671
ultrasound, use in differentiation of melanoma from common benign pigmented skin lesions 281
urethral bleeding in blue rubber bleb naevus syndrome (Correspondence) 677
urticaria
associated with hypohidrosis (Case report) 1064
chronic idiopathic, cyclosporin therapy 365
UV radiation
narrow-band UVB as combination therapy with tazarotene or calcipotriol, in severe psoriasis (Concise communication) 1275
photoadaptation *in vivo* 477
transmission following vaseline application to non-irradiated and UVB-exposed split skin 532
UVA
effects on production of vascular endothelial growth factor and endothelin-1 in human dermal fibroblasts 539
sunbed treatment in psoriasis 919, 957

vascular cell adhesion molecule-1, serum levels in dermatomyositis and polymyositis 392
vascular endothelial growth factor effects of UVA radiation and TGF-1 on production in human dermal fibroblasts 539
in haemangiosarcoma (Correspondence) 1118
vasculitis chronic leucocytoclastic, intravenous immunoglobulin therapy (Correspondence) 447
cutaneous, IgA antineutrophil cytoplasmic antibodies 99
hypocomplementaemic urticarial, mycophenolate maintenance therapy (Correspondence) 1324
leucocytoclastic, and idinavir (Correspondence) 1112
leukaemic, and leukaemia cutis 773
urticarial, methotrexate-induced exacerbation (Correspondence) 203
vaseline application to non-irradiated and UVB-exposed split skin, effects on UV transmission 532
venous leg ulcers, plasminogen activation 930
verruca vulgaris following treatment of vitiligo with epidermal grafting (Correspondence) 645
verrucous carcinoma in balanitis (Case report) 183
verrucous 'cuniculatum' carcinoma of the sacral region (Correspondence) 459
vitamin D, circumlesional scaling induced by (Correspondence) 206
vitiligo
with actinic damage and squamous cell carcinoma (Correspondence) 219
with insulin resistance and acanthosis nigricans (Correspondence) 899
synchronous onset with penile lichen sclerosus (Correspondence) 218
treatment with epidermal grafting, verruca vulgaris following (Correspondence) 645
von Willebrand's disease, congenital infiltrating lipoma of the upper limb (Case report) 180
vulval intraepithelial neoplasia and photodynamic therapy (Concise communication) 1040
vulval lichen planus (Correspondence) 1349

Waldenström's macroglobulinaemia associated with scleredema of Buschke (Correspondence) 450
warts
self-administration of imiquimod 1026
treatment with immune response modifiers 921
Wegener's granulomatosis presentating as neutrophilic dermatosis (Correspondence) 207
Wells' syndrome
association with recurrent giardiasis (Case report) 425
and HIV infection (Correspondence) 672
wet-wrap dressings in atopic dermatitis 999
wound healing
expression of basic fibroblast growth factor during 720
role of lymphocytes 59

xanthomatosis with localized morphoea and primary biliary cirrhosis (Correspondence) 652
xeroderma pigmentosum
atypical fibroxanthoma of skin and lower lip 618
compound heterozygous group A (Case report) 174
role of phototesting 595

zinc therapy in amicrobial pustulosis associated with autoimmune disease (Case report) 1306